

Cétacés du monde

J.-P. Sylvestre

Références citées dans la rubrique « www »

- Anonyme, 2010. Two dorsal fins. *Whales alive*, 19(1), 11-12.
- Aguilar, A., Lockyer, C.H., 1987. Growth, physical maturity of fin whales (*Balaenoptera physalus*) inhabiting the temperate waters of the northeast Atlantic. *Can J. Zoology*, 65(2), 253-264.
- Allen, G.M., 1939. True's beaked whale in Nova Scotia. *J. Mamm.*, 20, 259-260.
- Allen, G.M., 1941. Pygmy sperm whale in the Atlantic. *Publs. Field Mus. Nat. Hist., Zool. Ser.*, 27, 17-36.
- Amaral, A.R., Jackson, J.A., Möller, L.M., Beheregaray, L.B., Coelho, M.M., 2012. Species tree of a recent radiation : The subfamily Delphinidae (Cetacea, Mammalia). *Molecular Phylogenetic and Evolution*, 64, 243-253.
- Anderson, R.C., Clark, R., Madsen, P.T., Johnson, C., Kiszka, J., Breysse, O., 2006. Observations of Longman's beaked whale (*Indopacetus pacificus*) in the Western Indian Ocean. *Aqu. Mamm.*, 32(2), 223-231.
- Archer II, F.I., Perrin, W.F., 1999. *Stenella coeruleoalba*. *Mamm. Species, Am. Soc. Mammalogists*, 603, 1-9.
- Arnold, P., Marsh, H., Heinsohn, G., 1987. The occurrence of two forms of minke whale in east australian waters with a description of external, characters and skeleton of the diminutive or dwarf form. *Sci. Rep. Whales Res. Inst., Tokyo*, 38, 1-46.
- Arvy L., 1978. Le narval (*Monodon monoceros* L.). *Acta Zoologica et Pathologica Antverpiensia*, 73, 43-118.
- Baccetti F., Cancelli F., Renieri T., 1991. First record of *Kogia simus* (Cetacea, *Physeteridae*) from Mediterranean Sea. *Mammalia*, 55 (1), 152-154.
- Backus R.H., 1966. A large shark in the stomach of a sperm whale. *J. Mamm.*, 47(1), 142.
- Baird, R.W., Webster, D.L., Schorr, G.S., McSweeney, D.J., Barlow, J., 2008. Diel variation in beaked whale diving behavior. *Mar. Mamm. Sci.*, 24(3), 630-642.
- Baker, A., 1977. Spectacled porpoise, *Phocoena dioptrica*, new to the subantarctic pacific ocean (note). *New Zealand J. Mar. And Freshwater Res.*, 11(2), 401-406.
- Baker, A.N., 1985. Pygmy right whale *Caperea marginata* (Gray, 1846). In : *Handbook of Marine Mammals* (S.H. Ridgway, R.J. Harrison, eds.), Academic Press, New York, 3, 345-354.
- Baker, A.N., 2001. Status, relationships, and distribution of *Mesoplodon bowdoini* Andres, 1908 (Cetacea : Ziphiidae). *Mar. Mamm. Sci.*, 17(3), 473-493.
- Balcomb III, K.C., 1989. Baird's beaked whale *Berardius bairdi* Stejneger, 1883 – Arnoux's beaked whale *Berardius arnuxii* Duvernoy, 1851. In : *Handbook of Marine Mammals* (S.H. Ridgway, R.J. Harrison, eds.), Academic Press, New York, 4, 261-288.
- Barré, M., 2003. *Les dernières chasses au cachalot*, Éd. Du Gerfaut, Paris, 136 p.

- Barreto, A.S., Rosas, F.C.W., 2006. Comparative growth analysis of two populations of *Pontoporia blainvillei* on the brazilian coast. *Mar. Mamm. Sci.*, 22(3), 644-653.
- Beasley, I., Robertson, K.M., Arnold, P., 2005. Description of a new dolphin, the australian snubfin dolphin *Orcaella heinsohni* sp. n. (Cetacea, Delphinidae). *Mar. Mamm. Sci.*, 21(3), 365-400.
- Béland, P., 1996. *Les bélugas ou l'adieu aux baleines*, Libre expression, Montréal, 266 p.
- Benjaminsen, T., Christensen, I., 1979. The natural history of the bottlenose whale, *Hyperoodon ampullatus* Forster. In : *Behavior of Marine Mammals* (H.E. Winn, B.L. Olla, eds.), Plenum Press, New York, 143-164.
- Bernard, H.J., Reilly, S.B., 1999. Pilot whales *Globicephala* Lesson, 1828. In : *Handbook of Marine Mammals*.(S.H. Ridgway, R.J. Harrison, eds.), Academic Press, New York, 6, 245-279.
- Berta, A., Sumich, J.L., Kovacs, K.M., 2006. *Marine mammals : Evolutionary Biology*, Academic Press, Burlington, Massachusetts, 547 p.
- Berzin, A.A., 1972. *The Sperm Whale*, Israel Program for Scientific Translation, Kinter Press, Jerusalem, 394 p.
- Best, P.B., 1970. Records of the pygmy killer whale, *Feresa attenuata*, from southern Africa, with notes on behaviour in captivity. *Ann. South African Mus., Cape Town*, 57(1), 1-14.
- Best, P.B., 1979. Social organization in sperm whales *Physeter macrocephalus*. In : *Behavior of Marine Animals*, (H.E. Winn, B.L. Olla, eds.), Plenum Publ., 3, 227-289.
- Best, R.B., 1981. The tusk of the narwhal (*Monodon monoceros* L.) : Interpretation of its function (*Mammalia : Cetacea*). *Can. J. Zool.*, 59, 2386-2303.
- Best, P.B., 1985. External characteres of southern minke whales and the existence of a diminutive form. *Sci. Rep. Whales Res. Inst., Tokyo*, 36, 1-33.
- Best, R.C., Da Silva, M.F., 1989. Amazon river dolphin, Boto, *Inia geoffrensis* (de Blainville, 1817). In : *Handbook of Marine Mammals*.(S.H. Ridgway, R.J. Harrison, eds.), Academic Press, New York, 4, 1-23.
- Best, P.B., Abernethy, R.B., 1994. Heaviside's dolphin *Cephalorhynchus heavisidii* (Gray, 1828). In : *Handbook of Marine Mammals*. (S.H. Ridgway, R.J. Harrison, eds.), Academic Press, New York, 5, 289-310.
- Best, R.C., Da Silva, M.F., 1993. *Inia geoffrensis*. *Mammalian Species, The Am. Soc. Mammalogists*, 426, 1-8.
- Bjørge, A., Donovan, G.P., eds, 1995. Biology of the Phocoenids. *Int. Whal. Commn, Special Issue 16*, 552 p.
- Bortolotti, D., 2009. *Wild Blue : A Natural History of the World's Largest Animal*, Thomas Allen Publishers, Toronto, 315 p.
- Branch, T.A., Matsuoka, K., Miyashita, T., 2004. Evidence for increases in Antarctic blue whales based on bayesian modelling. *Mar. Mamm. Sci.*, 20(4), 726-754.
- Brodie, P.F., 1989. The white whale, *Delphinapterus leucas* (Pallas 1776). In : *Handbook of Marine Mammals*.(H. Ridgway, R.J. Harrison, eds.), Academic Press, New York, 4, 119-144.
- Brownell, Jr., R.L., 1975. *Phocoena dioptrica*. *Mammalian Species*, 66, 1-3.
- Brownell, Jr., R.L., 1983. *Phocoena sinus*. *Mammalian Species*, 198, 1-3.
- Brownell, Jr, R.L., 1989. Franciscana *Pontoporia blainvillei* (Gervais and d'Orbigny, 1844) (S.H. Ridgway, R.J. Harrison, eds.), Academic Press, New York, 4, 45-67.

- Brownell, Jr. R.L., Best, P.B., Prescott, J.H., (eds.), 1986. *Right whales : Past and present status*, Proceedings of the workshop on the status of right whales, Rep. Int. Whaling Commn, Special Issue 10, 289 p.
- Brownell, Jr, R.L., Cipriano, F., 1999. Dusky dolphin *Lagenorhynchus obscurus* (Gray, 1928). In : *Handbook of Marine Mammals*. (S.H. Ridgway, R.J. Harrison, eds.), Academic Press, New York, 6, 85-104.
- Brownell Jr., R.L., Clapham, P.J., 1999. Burmeister's porpoise *Phocoena spinipinnis* Burmeister, 1865. In : *Handbook of Marine Mammals* (S.H. Ridgway, R.J. Harrison, eds.), Academic Press, New York, 6, 393-410.
- Brownell Jr., R.L., Crespo, E.A., Donahue, M.A., 1999. Peale's dolphin *Lagenorhynchus australis* (Peale, 1848). In : *Handbook of Marine Mammals* (S.H. Ridgway, R.J. Harrison, eds.), Academic Press, New York, 6, 105-120.
- Brownell, Jr., R.L., Donahue, M.A., 1999. Hourglass dolphin *Lagenorhynchus cruciger* (Quoy and Gaimard, 1824). In : *Handbook of Marine Mammals* (S.H. Ridgway, R.J. Harrison, eds.), Academic Press, New York, 6, 121-135.
- Brownell, Jr., R.L., Donovan, G.P., eds., 1988. *Biology of the genus Cephalorhynchus*. Int. Whal. Commn (Spec. Iss. 9), Cambridge, 344 p.
- Brownell, Jr., R.L., Pardini, R., 1984. *Phocoena spinipinnis*. *Mammalian Species*, 217, 1-4.
- Brownell, Jr., R.L., Ralls, K., Baumann-Pickering, S., Poole, M.M., 2009. Behavior of melon-headed whale, *Peponocephala electra*, near oceanic islands. *Mar. Mamm. Sci.*, 25(3), 639-658.
- Brownell, Jr., R.L., Walker, W.A., Forney, K.A., 1999. Pacific white-sided dolphin *Lagenorhynchus obliquidens* Gill, 1865. In : *Handbook of Marine Mammals* (S.H. Ridgway, R.J. Harrison, eds.), Academic Press, New York, 6, 57-84.
- Bubas, R., 2009. *Orcas del Chut/Orcas of Chubut*. Ed. Patagonikas.130 p.
- Buchholtz, E.A., 2011. Vertebral and rib anatomy in *Caperea marginata*: Implications for evolutionary patterning of the mammalian vertebral column. *Mar. Mamm. Sci.*, 27(2), 382-397.
- Bruemmer, F., 1993. *The Narwhal: Unicorn of the Sea*, Canadian, Geographic, Key Porter Books, Toronto, 143 p.
- Bryant, P.J., 1995. Dating remains of gray whales from the Eastern North Atlantic. *J. Mamm.*, 76(3), 857-861.
- Caballero, S., Trujillo, F., Vianna, J.A., Barrios-Garrido, H., Montiel, M.G., Beltrán-Pedrerros, S., 2007. Taxonomic status of the genus *Sotalia* : Species level ranking for «tucuxi» (*Sotalia fluviatilis*) and «costero» (*Sotalia guianensis*) dolphins. *Mar. Mamm. Sci.*, 23(2), 358-386.
- Cabard, P., Chauvet, B., 1998. *L'étymologie des noms des Mammifères*, Éveil Nature, Label d'édition naturaliste, Saint-Yreix sur Charente, 240 p.
- Caldwell, D.K., Caldwell, M.C., 1966. Observations on the distribution, coloration, behavior and audible sound production of the spotted dolphin, *Stenella plagiodon* (Cope). *Contributions in Science, Los Angeles County Mus.*, 104, 1-28.
- Caldwell, D.K., Caldwell, M.C., 1972. *The World of the Bottlenose Dolphin*. J.B. Lippincott, Philadelphia, 157 p.
- Caldwell, D.K., Caldwell, M.C., 1989. Pygmy sperm whale *Kogia breviceps* (de Blainville, 1838) dwarf sperm whale *Kogia simus* (Owen, 1866). In : *Handbook of Marine Mammals*.(S.H. Ridgway, R.J. Harrison, eds.), Academic Press, New York, 4, 235-259.

- Casinos, A., Filella, S., 1981. A specimen of *Mesoplodon densirostris* (Cetacea : Hyperoodontidae) stranded on the spanish mediterranean littoral. *Saugetierk Mttl.*, 29(4), 61-67.
- Chen, P., Liu, R., Kasuya, T., 1992. *Baiji. A rare treasure*. Enoshima Aquarium, Japon, 92 p.
- Childerhouse, S., Jackson, J., Baker, C.S., Gales, N., Clapham, P., Brownell Jr., R.L., 2008. *Megaptera novaeangliae* (Oceania subpopulation). In : IUCN 2011. *IUCN Red List of Threatened Species*. Version 2011.2 <www.iucnredlist.org> (consulté le 24 avril 2012).
- Chivers, S.J., Leduc, R.G., Robertson, K.M., Barros, N.B., Dizon, A.E., 2005. Genetic variation of *Kogia* spp. With preliminary evidence for two species of *Kogia sima*. *Mar. Mamm. Sci.*, 21(4), 619-634.
- Clapham, P.J., Mead, J.G., 1999. *Megaptera novaeangliae*. *Mammalian Species*. Am. Soc. Mammalogists, 604, 1-9.
- Clarke, M., 1979. La tête du cachalot. *Pour la Science*, 7, 67-83.
- Clarke, R., 2004. Pygmy fin whales. *Mar. Mamm. Sci.*, 20(2), 329-334.
- COSEPAC, 2002a. *Évaluation et rapport de situation du COSEPAC sur le rorqual bleu* (*Balaenoptera musculus*) *au Canada – Mise à jour*. Comité sur la situation des espèces en péril au Canada, Ottawa, 38 p.
- COSEPAC, 2002b. *Évaluation et rapport de situation du COSEPAC sur la baleine à bec commune* (*Hyperoodon ampullatus*)(*population du Goulet de l'île de Sable*) *au Canada – Mise à jour*. Comité sur la situation des espèces en péril au Canada, Ottawa, 25 p.
- COSEPAC, 2003a. *Évaluation et rapport de situation du COSEPAC sur la baleine noire de l'Atlantique Nord* (*Eubalaena glacialis*) *au Canada – Mise à jour*, Comité sur la situation des espèces en péril au Canada, Ottawa, 30 p.
- COSEPAC, 2003b. *Évaluation et rapport de situation du COSEPAC sur le rorqual à bosse* (*Megaptera novaeangliae*) *au Canada – Mise à jour*. Comité sur la situation des espèces en péril au Canada. Ottawa, 29 p.
- COSEPAC, 2003c. *Évaluation et rapport de situation du COSEPAC sur le rorqual boréal* (*Balaenoptera borealis*) *au Canada-Mise à jour*. Comité sur la situation des espèces en péril au Canada. Ottawa, 30 p.
- COSEPAC, 2004a. *Évaluation et Rapport de situation du COSEPAC sur le béluga* (*Delphinapterus leucas*) *au Canada – Mise à jour*. Comité sur la situation des espèces en péril au Canada. Ottawa, 77 p.
- COSEPAC, 2004b. *Évaluation et Rapport de situation du COSEPAC sur le narval* (*Monodon monoceros*) *au Canada – Mise à jour*. Comité sur la situation des espèces en péril au Canada. Ottawa, 57p.
- COSEPAC, 2004c. *Évaluation et rapport de situation du COSEPAC sur la baleine grise* *Eschrichtius robustus au Canada – Mise à jour*. Comité sur la situation des espèces en péril au Canada, Ottawa, 35 p.
- COSEPAC, 2004d. *Évaluation et rapport de situation du COSEPAC sur la baleine noire du Pacifique Nord* (*Eubalaena japonica*) *au Canada – Mise à jour*, Comité sur la situation des espèces en péril au Canada, Ottawa, 26 p.
- COSEPAC, 2005. *Évaluation et rapport de situation du COSEPAC sur le rorqual commun* *Balaenoptera physalus au Canada – Mise à jour*. Comité sur la situation des espèces en péril au Canada. Ottawa, 43 p.

- COSEPAC, 2006. *Évaluation et rapport de situation du COSEPAC sur la baleine à bec de Sowerby (Mesoplodon bidens) au Canada – Mise à jour*. Comité sur la situation des espèces en péril au Canada. Ottawa, 20 p.
- Cotter, M.P., Maldini, D., Jefferson, T.A., 2011. “Porpicide” in California : Killing of harbor porpoises (*Phocoena phocoena*) by coastal bottlenose dolphins (*Tursiops truncatus*). *Mar. Mamm. Sci.*, 28(1), E1-E18.
- Crovetto, A., Medina, G., 1991. Comportement du dauphin chilien (*Cephalorhynchus eutropia* Gray, 1846) dans les eaux du sud du Chili. *Mammalia*, 55(3), 330-338.
- Cummings, W.C., 1985a. Right whales *Eubalaena glacialis* (Müller, 1776) and *Eubalaena australis* (Desmoulins, 1822). In : *Handbook of Marine Mammals*. (S.H. Ridgway, R.J. Harrison., eds.), Academic Press, New York, 3, 275-304.
- Cummings, W.C., 1985b. Bryde’s whale *Balaenoptera edeni* Anderson, 1878. In : *Handbook of Marine Mammals* (S.H. Ridgway, R.J. Harrison, eds.), Academic Press, New York, 3, 137-154.
- Curry, B.E., Smith, J., 1997. Phylogeographic structure of the bottlenose dolphin (*Tursiops truncatus*): stock identification and implications for management. In: *Molecular Genetics of Marine Mammals* (A. E. Dizon, S. J. Chivers, W. F. Perrin, eds.), The Society of Marine Mammalogy, Allen Press, Lawrence, 227-247.
- Dahlheim, M.E., Heyning, J.E., 1999. Killer whale *Orcinus orca* (Linnaeus, 1758). In : *Handbook of Marine Mammals* (S.H. Ridgway, R.J. Harrison, eds.), Academic Press, New York, 6, 281-322.
- Dalebout, M.L., Baker, C.S., Steel, D., Robertson, K.M., Chivers, S.J., Perrin, W.F., Mead, J.G., Grace, R.V., Schofield, Jr., T.D., 2007. A divergent mtDNA lineage among *Mesoplodon* beaked whales: Molecular evidence for a new species in the tropical Pacific ? *Mar. Mamm. Sci.*, 23(4), 954-966.
- Dalebout, M.L.; Mead, J.G.; Baker, C.S.; Baker, A.N., Van Helden, A.L., 2002. A new species of beaked whale *Mesoplodon perrini* sp. n. (Cetacea : Ziphiidae) discovered through phylogenetic analyses of mitochondrial DNA sequences. *Mar. Mamm. Sci.*, 18(3), 577-608.
- Dalebout, M.L., Ross, G.J.B., Baker, C.S., Anderson, R.C., Best, P.B., Cockroft, V.G., Hinsz, H.J., Peddemors, V., Pitman, R.L., 2003. Appearance, distribution, and genetic distinctiveness of Longman’s beaked whale, *Indopacetus pacificus*. *Mar. Mamm. Sci.*, 19(3), 421-461.
- Dalebout, M.L., Russell, C.G., Little, M.J., Ensor, P., 2004. Observations of live Gray’s beaked whales (*Mesoplodon grayi*) in Mahurangi Harbour, North Island, New Zealand, with a summary of at-sea sightings. *J. Royal Soc. New-Zealand*, 34, 347-356.
- Da Silva, V.M.F., Best, R.C., 1994. Tucuxi *Sotalia fluviatilis* (Gervais, 1853). In : *Handbook of Marine Mammals* (S.H. Ridgway, R.J. Harrison, eds.), Academic Press, New York, 5, 43-69.
- Da Silva, V.M.F., Best, R.C., 1996. *Sotalia fluviatilis*. *Mammalian Species. Am. Soc. Mammalogists*, 527, 1-7.
- Davies, J.L., Guiler, E.R., 1957. A note on the pygmy right whale, *Caperea marginata* Gray. *Proc. Zool. Soc. London*, 129(4), 579-589.
- Dawbin, W.A., Noble, B.A., Fraser, F.C., 1970. Observations on the electra dolphin, *Peponocephala electra*. *Bull. Brit. Mus. (Nat. Hist.) Zool.*, 20(6), 175-201.
- Dawbin, W.H., Cato, D.H., 1992. Sounds of a pygmy right whale (*Caperea marginata*). *Mar. Mamm. Sci.*, 8(3), 213-219.
- Deakos, M.H., Branstetter, B.K., Mazzuca, L., Fertl, D., Mobley, Jr., J.R., 2010. Two unusual interactions between a bottlenose dolphin (*Tursiops truncatus*) and a humpback whale (*Megaptera novaeangliae*) in Hawaiian waters. *Aqu. Mamm. Sci.*, 36(2), 121-128.

- Dellabianca, N., Scioscia, G., Schiavini, A., Rey, A.R., 2012. Occurrence of hourglass dolphin (*Lagenorhynchus cruciger*) and habitat characteristics along the patagonian shelf and the Atlantic ocean sector of the southern ocean. *Polar Biol.*, 35, 1921-1927.
- De Muizon, C., 1993. Walrus-like feeding adaptation in a new Cetacean from the Pliocene of Peru. *Nature*, 365, 745-748.
- De Muizon, C., Domning, D.P., Ketten, D.R., 2002. *Odobenocetops peruvianus*, the walrus-convergent Delphinoid (*Mammalia : Cetacea*) from their early Pliocene of Peru. *Smith. Cntr. Paleobiol.*, 93, 223-262.
- Dix, L., Lien, J., Sergeant, D.E., 1986. A north sea beaked whale, *Mesoplodon bidens*, in Conception Bay, Newfoundland. *Can. Field-Naturalist*, 100(3), 389-391.
- Dixon, J.M., 1970. Two new whale records from Victoria *Mesoplodon bowdoini* Andrews (*Ziphiidae*) and *Balaenoptera edeni* Anderson (*Balaenopteridae*). *The Victorian Naturalist*, 87, 88-93
- Dixon, J.M., 1980. A recent stranding of the strap-toothed whale, *Mesoplodon layardii* (Gray) (*Ziphiidae*) from Victoria, and a review of Australian records of the species. *The Victorian Naturalist*, 97, 35-41.
- Dixon, J.M., Frigo, L., Moyle, R.L.C., 1994. New information on the southerne bottlenose whale, *Hyperoodon planifrons* (Cetacea, Ziphiidae), from a recent stranding in Victoria, Australia. *Australian Mammalogy*, 17, 85-95.
- Donovan, G.P., Lockyer, C.H., Martin, A.R., eds, 1993. Biology of North Hemisphere pilot whales. *Rep. Int. Whal. Commn, Special Issue*, 14, 480 p.
- Edds, P.L., Odell, D.K., Tershy, B.R., 1993. Vocalization of a captive juvenile and free-ranging adulte-calf pairs of Bryde's whales, *Balaenoptera edeni*. *Mar. Mam. Sci.*, 9(3), 269-284.
- Ellis, R., 2011. *The Great Sperm Whale: A Natural History of the Ocean's Most Magnificent and Mysterious Creature*, University Press of Kansas, Lawrence, 368 p.
- Evans, W.E., 1994. Common dolphin, white-bellied porpoise *Delphinus delphis* Linnaeus, 1758. *In : Handbook of Marine Mammals*. (S.H. Ridgway, R.J. Harrison, eds.), Academic Press, New York, 5, 191-224.
- Foote, A.D., Morin, P.A., Pitman, R.L., Àvila-Arcos, M.C., Durban, J.W., Van Helden, A., Sinding, M.H.S., Gilbert, T.P., 2013. Mitogenomic insights into a recently described and rarely observed killer whale morphotype. *Polar Biol*, DOI 10.1007/s00300-013-1354-0.
- Fraser, F.C., 1950. Notes on a skull of a *Mesoplodon hectori* from Falkland islands. *Proc. Linnean Soc. London*, 162, 50-52.
- Fraser, F.C., 1955. The southern right whale dolphin, *Lissodelphis peroni* (Lacépède). *Bull. Brit. Mus. (Nat. Hist.), Zoology, London*, 2(2), 341-346.
- Fraser, F.C., 1966. Comments on the Delphinoidae. *In : Whales, Dolphins, and Porpoises* (K.S. Norris, ed.), University of California Press, Berkeley and Los Angeles, 7-31.
- Fraser, F.C., 1970. An early 17th century record of the Californian grey whale in Icelandic waters. *Inv. Cetacea*, II, 13-20.
- Friedlaender, A.S., Nowacek, D.P., Johnston, D.W., Read, A.J., Tyson, R.B., Peavey, L., Revelli, E.M.S., 2010. Multiple sightings of a large groups of Arnoux's beaked whales (*Berardius arnouxii*) in the Gerlache Strait, Antarctica. *Mar. Mamm. Sci.*, 26(1), 246-250.
- Gaines, C.A., Hare, M.P., Beck, S.E., Rosenbaum, H.C., 2005. Nuclear markers confirm taxonomic status and relationships among highly endangered and closely related right whale species. *Proc. R. Soc. B.*, 272, 533-542.

- Gales, N.J., Dalebout, M.L., Bannister, J.L., 2002. Genetic identification and biological observation of two free-swimming beaked whales: Hector's beaked whale (*Mesoplodon hectori*, Gray, 1871), and Gray's beaked whale (*Mesoplodon grayi*, von Haast, 1876). *Mar. Mamm. Sci.*, 18(2), 544-551.
- Gambell, R., 1985a. Fin whale *Balaenoptera physalus* (Linné, 1758). In : *Handbook of Marine Mammals* (S.H. Ridgway, R.J. Harrison, eds.), Academic Press, New York, 3, 171-192.
- Gambell, R., 1985b. Sei whale *Balaenoptera borealis*. In : *Handbook of Marine Mammals* (S.H. Ridgway, R.J. Harrison, eds.), Academic Press, New York, 3, 155-170.
- Gaskin, D.E., 1992a. Status of the harbour porpoise, *Phocoena phocoena*, in Canada. *Can. Field-Naturalist*, 106(1), 36-54.
- Gaskin, D.E., 1992b. Status of the Atlantic white-sided dolphin, *Lagenorhynchus acutus*, in Canada. *Can. Field-Naturalist* 106(1), 64-72.
- Gerrodette, T., Rojas-Bracho, L., 2011. Estimating the success of protected areas for the vaquita, *Phocoena sinus*. *Mar. Mamm. Sci.*, 27(2), E101-E125.
- Gerson, H.B., Hickie, J.P., 1985. Head scarring on male narwhals (*Monodon monoceros*): Evidence for aggressive tusk use. *Can. J. Zool.*, 63, 2083-2087.
- Gewalt, W., 1976. *Der Weißwal*. Die Neue Brehm-Bücherei, Lutherstadt, 232 p.
- Gühr, M., Pilleri, G., 1969. On the anatomy and biometry of *Stenella styx* Gray and *Delphinus delphis* L. (*Cetacea Delphinidae*) of the western Mediterranean. *Inv. Cetacea*, 1, 15-65.
- Gill, P.C., Kemper, C.M., Talbot, M., Lyons, S.A., 2008. Large group of pygmy right whales seen in a shelf upwelling region off Victoria, Australia. *Mar. Mamm. Sci.*, 24(4), 962-968.
- Goodall, R.N.P., 1994a. Commerson's dolphin *Cephalorhynchus commersonii* (Lacépède, 1804). In : *Handbook of Marine Mammals* (S.H. Ridgway, R.J. Harrison, eds.), Academic Press, New York, 5, 241-267.
- Goodall, R.N.P., 1994b. Chilean dolphin *Cephalorhynchus eutropia* (Gray 1846). In : *Handbook of Marine Mammals* (S.H. Ridgway, R.J. Harrison, eds.), Academic Press, New York, 5, 269-287.
- Goodall, R.N.P., 2002. Spectacled porpoise *Phocoena dioptrica*. In : *Encyclopedia of marine mammals* (W.F. Perrin, B. Würsig, J.G.M. Thewissen, eds.), Academic Press, San Diego, 1158-1161.
- Goodall, R.N.P., Baker, A.N., Best, P.B., Meyer, M., Miyazaki, N., 1997. On the biology of the hourglass dolphin, *Lagenorhynchus cruciger* (Quoy and Gaimard, 1824). *Rep. Int. Whal. Commn*, 47, 985-1000.
- Goodall, R.N.P., Folger, C.L., Lichter, A.A., 1988. The presence of the Layard's beaked whale, *Mesoplodon layardii*, in the southwest South Atlantic, with a review of strandings worldwide. *IWC/SC/40/SM 20*.
- Goodall, R.N.P., Schiavini, A.C.M., 1995. On the biology of the spectacled porpoise, *Australophocaena dioptrica*. *Rep. Int. Whal. Commn, Special Issue*, 16, 411-453.
- Gordon D.G., Baldrige A., 1991. *Gray whales*, Monterey Bay Aquarium, Monterey Bay, 64 p.
- Gowans, S., Rendell, L., 1999. Head-butting in northern bottlenose whales (*Hyperoodon ampullatus*): A possible function for big heads ? *Mar. Mamm. Sci.*, 15(4), 1342-1350.
- Groch, K.R., 2001. Cases of harassment by kelp gulls (*Larus dominicanus*) on right whales (*Eubalaena australis*) of Southern Brazil. *Biotemas*, 14(1), 147-156.
- Guinet, C., 2004. *L'orque*. Coll. Éveil Nature, Belin, Paris, 95 p.

- Hale, P.T., Barreto, A.S., Ross, G.J.B., 2000. Comparative morphology and distribution of the *aduncus* and *truncatus* forms of bottlenose dolphin *Tursiops* in the Indian and Western Pacific Oceans. *Aqu. Mamm.*, 26(2), 101-110.
- Hammond, P.S., Bearzi, G., Bjørge, A., Forney, K., Karczmarski, L., Kasuya, T., Perrin, W.F., Scott, M.D., Wang, J.Y., Wells, R.S., Wilson, B., 2008a. *Phocoena phocoena*. In : *IUCN 2011. IUCN Red List of Threatened Species*. Version 2011.2 <www.iucnredlist.org> (consulté le 27 mai 2012).
- Hammond, P.S., Bearzi, G., Bjørge, A., Forney, K., Karczmarski, L., Kasuya, T., Perrin, W.F., Scott, M.D., Wang, J.Y., Wells, R.S., Wilson, B., 2008b. *Phocoena phocoena* (Baltic Sea subpopulation). In : *IUCN 2011. IUCN Red List of Threatened Species*. Version 2011.2 <www.iucnredlist.org> (consulté le 27 mai 2012).
- Handley, C.O., 1966. A synopsis of the genus *Kogia* (pygmy sperm whale). In : *Whales, Dolphins and Porpoises* (Norris K.S., ed.), University of California Press, Los Angeles, 62-69.
- Hay, P., 1999. Uncertain future for great whales. *Endangered species*, 1(2), 24-25.
- Hay, K.A., Mansfield, A.W., 1989. Narwhal – *Monodon monoceros* Linnaeus, 1758. In : *Handbook of Marine Mammals* (S.H. Ridgway, R.J. Harrison, eds.), Academic Press, New York, 4, 145-176.
- Heide-Jorgensen, M., Reeves, R.R., 1993. Description of an anomalous monodontid skull from West Greenland: A possible hybrid ? *Mar. Mamm. Sci.*, 9(3), 258-268.
- Herman, J.S., Kitchener, A.C., Baker, J.R., Lockyer, C., 1994. The most northerly record of Blainville's beaked whale, *Mesoplodon densirostris*, from the eastern Atlantic. *Mammalia*, 58(4), 657-661.
- Hershkovitz, P., 1966. Catalog of living whales. *U.S. Nat. Mus. Bull.*, 246, 259 p.
- Heyning, J.E., 1984. Functional morphology involved in intraspecific fighting of the beaked whale, *Mesoplodon carlhubbsi*. *Can. J. Zool.*, 62, 1645-1654.
- Heyning, J.E., 1989. Cuvier's beaked whale *Ziphius cavirostris*. In : *Handbook of Marine Mammals* (S.H. Ridgway, R.J. Harrison, eds.), Academic Press, New York, 4, 289-308.
- Heyning, J.E., Dahlheim, M.E., 1988. *Orcinus orca*. *Mammalian Species. Am. Soc. Mammalogists*, 304, 1-9.
- Hiraguchi, T., 2003. Cetacean hunts and their utilization in Prehistoric Hokkaido and Tohoku regions. In : *The 2nd summit of japanses traditionnal whaling communities* (I. Nagasaki, ed.), The Institute of Cetacean Research, Tokyo, 121-136.
- Hobson, R.P., Martin, A.R., 1996. Behaviour and dive times of Arnoux's beaked whales, *Berardius arnuxii*, at narrow leads in fast ice. *Can. J. Zool.*, 74, 388-393.
- Hooker, S.K., Baird, R.W., 1999. Observations of Sowerby's beaked whales, *Mesoplodon bidens*, in the Gully, Nova Scotia. *Can. Field-Naturalist*, 113, 273-277.
- Horwood, J.W., 1987. *The sei whale: Population, biology, ecology and management*. Croom Helm, London, 375 p.
- Houck, W.J., Jefferson, T.A., 1999. Dall's porpoise *Phocoenoides dalli* (True, 1885). In : *Handbook of Marine Mammals* (S.H. Ridgway, R.J. Harrison, eds.), Academic Press, New York, 6, 443-472.
- Houston, J., 1990a. Status of Blainville's beaked whale, *Mesoplodon densirostris*, in Canada. *Can. Field-Naturalist*, 104(1), 117-120.
- Houston, J., 1990b. Status of True's beaked whale, *Mesoplodon mirus*, in Canada. *Can. Field-Naturalist*, 104(1), 135-137.

- Houston, J., 1990c. Status of Stejneger's beaked whale, *Mesoplodon stejnegeri*, in Canada. *Can. Field-Naturalist*, 104(1), 131-134.
- Houston, J., 1990d. Status of Hubbs' beaked whale, *Mesoplodon carlhubbsi*, in Canada. *Can. Field-Naturalist*, 104(1), 121-124.
- Hubbs, C.L., 1946. First records of two beaked whale, *Mesoplodon bowdoini* and *Ziphius cavirostris*, from the Pacific coast of the United States. *J. Mamm.*, 27, 242-255.
- Jacobsen, K.-O., Marx, M., Oien, N., 2004. Two-way trans-Atlantic migration of a North Atlantic right whale (*Eubalaena glacialis*). *Mar. Mamm. Sci.*, 20(1), 161-166.
- Janice, L.C.Y., 2003. *Chinese White Dolphin*. Agriculture, Fisheries and Conservation Department, Hong Kong, 30 p.
- JARPA, 2006. *Japan's whale research program under spécial permit in the Antarctic (JARPA)*, The Institute of Cetacean Research, Tokyo, 57 p.
- Jefferson, T.A., 1988. *Phocoenoides dalli*. *Mammalian Species*, 319, 1-7.
- Jefferson, T.A., 1990. Status of Dall's porpoise, *Phocoenoides dalli*, in Canada. *Can. Field-Naturalist*, 104(1), 112-116.
- Jefferson, T.A., Curry, B.E., 2003. *Stenella clymene*. *Mammalian Species*, *Am. Soc. Mammalogists*, 726, 1-5.
- Jefferson, T.A., Karczmarski, L., 2001. *Sousa chinensis*. *Mammalian Species*, *Am. Soc. Mammalogists*, 655, 1-9.
- Jefferson, T.A., Karczmarski, L., Laidre, K., O'Corry-Crowe, G., Reeves, R.R., Rojas-Bracho, L., Secchi, E.R., Slooten, E., Smith, B.D., Wang, J.Y., Zhou, K., 2008a. *Delphinapterus leucas*. In : *IUCN 2011. IUCN Red List of Threatened Species*. Version 2011.2 <www.iucnredlist.org> (consulté le 20 janvier 2012).
- Jefferson, T.A., Karczmarski, L., Laidre, K., O'Corry-Crowe, G., Reeves, R.R., Rojas-Bracho, L., Secchi, E.R., Slooten, E., Smith, B.D., Wang, J.Y., Zhou, K., 2008b. *Monodon monoceros*. In : *IUCN 2011. IUCN Red List of Threatened Species*. Version 2011.2 <www.iucnredlist.org> (consulté le 20 janvier 2012).
- Jefferson, T.A., Leatherwood, S., 1994. *Lagenodelphis hosei*. *Mammalian Species*, *Am. Soc. Mammalogists*, 470, 1-5.
- Jefferson, T.A., Newcomer, M.W., 1993. *Lissodelphis borealis*. *Mar. Mamm. Spec.*, *Am. Soc. Mammalogists*, 425, 1-6.
- Jefferson, T.A., Newcomer, M.W., Leatherwood, S., Van Waerebeek, K., 1994. Right whale dolphins, *Lissodelphis borealis* (Peale, 1848) and *Lissodelphis peronii* (Lacépède, 1804). In : *Handbook of Marine Mammals* (S.H. Ridgway, R.J. Harrison, eds.), Academic Press, New York, 5, 335-362.
- Jefferson, T.A., Pitaman, R.L., Leatherwood, S., Dolar, M.L.L., 1997. Developmental and sexual variation in the external appearance of Fraser's dolphins (*Lagenodelphis hosei*). *Aqu. Mamm.*, 23(3), 145-153.
- Jefferson, T.A., Van Waerebeek, K., 2002. The taxonomic status of the nominal dolphin species *Delphinus tropicalis* van Bree, 1971. *Mar. Mamm. Sci.*, 18(4), 787-818.
- Jonhson, J.H., Wolman, A.A., 1984. The humpback whale, *Megaptera novaeangliae*. *Marine Fish. Rev.*, 46, 30-37.
- Kastelein, R.A., Gerrits, N.M., 1991. Swimming, diving and respiration patterns of a northern bottlenose whale (*Hyperoodon ampullatus*, Forster, 1770). *Aqu. Mamm.*, 17(1), 20-30.

- Kato, H., 1984. Observation of tooth scars on the head of male sperm whales, as an indication of intra-sexual fightings. *Sci. Rep. Whales Res. Inst., Tokyo*, 35, 39-46.
- Kato, H., 1995. *The Natural History of Sperm Whales*. Heibonsha, Tokyo (en japonais), 318 p.
- Kato, H., 2002. Bryde's whale *Balaenoptera edeni* and *B. brydei*. In : *Encyclopedia of marine mammals* (W.F. Perrin, B. Würsig, J.G.M. Thewissen, eds.), Academic Press, San Diego, 171-176.
- Kasuya, T., 1972. Some informations on the growth of the Ganges dolphin with a comment on the Indus dolphin. *Sci. Rep. Whales Res. Inst., Tokyo*, 24, 87-108.
- Kasuya, T., 1977. Age determination and growth of the Baird's beaked whale with a comment on the fetal growth rate. *Sci. Rep. Whales Res. Inst., Tokyo*, 29, 1-20.
- Kasuya, T., 1986. Distribution and behavior of Baird's beaked whales off the Pacific coast of Japan. *Sci. Rep. Whales Res. Inst., Tokyo*, 37, 61-83.
- Kasuya, T., Aminul Haque, A.K.M., 1972. Some informations on distribution and seasonal movement of the Ganges dolphin. *Sci. Rep. Whales Res. Inst., Tokyo*, 24, 109-115.
- Kasuya, T., Brownell, Jr, R.L., 1979. Age determination, reproduction, and growth of franciscana dolphin *Pontoporia blainvillei*. *Sci. Rep. Whales Res. Inst.*, 31, 45-67.
- Kasuya, T., Ichihara, T., 1965. Some information on minke whale from the Antarctic. *Sci. Rep. Whales Res. Inst., Tokyo*, 19, 37-43.
- Kasuya, T., Nishiwaki, M., 1971. First record of *Mesoplodon densirostris* from Taiwan. *Sci. Rep. Whales Res. Inst., Tokyo*, 24, 43-56.
- Kasuya, T.; Miyashita, T., Kasamatsu, F., 1988. Segregation of two forms of short-finned pilot whales off the Pacific coast of Japan. *Sci. Rep. Whales Res. Inst., Tokyo*, 39, 77-90.
- Kasuya, T., Ohsumi S., 1966. A secondary sexual character of the sperm whale. *Sci. Rep. Whales Res. Inst., Tokyo*, 20, 89-93.
- Kemper, C.M., 1999. Estimating body length of pygmy right whale (*Caperea marginata*) from measurements of the skeleton and baleen. *Mar. Mamm. Sci.*, 15(3), 683-700.
- Kemper, C.M., 2002a. Pygmy right whale *Caperea marginata*. In : *Encyclopedia of marine mammals* (W.F. Perrin, B. Würsig, J.G.M. Thewissen, eds.), Academic Press, San Diego, 1010-1012.
- Kemper, C.M., 2002b. Distribution of the pygmy right whale, *Caperea marginata*, in the australasian region. *Mar. Mamm. Sci.*, 18(1), 99-111.
- Kimura, S., Akamatsu, T., Li, S., Dong, L., Wang, K., Wang, D., Arai, N., 2012. Seasonal changes in the local distribution of Yangtze finless porpoises related to fish presence. *Mar. Mamm. Sci.*, 28(2), 308-324.
- Kinzelbach, R., 1985. Des Cuvier-schnabelwal (*Ziphius cavirostris*) in östlichen Mittelmeer. *Z. Säugetierkunde*, 50, 314-316.
- Kraus, S.D., Rolland, R.M., (eds.), 2007. *The urban whale: North Atlantic right whales at the crossroads*, Harvard University Press, Cambridge, Mass., 543 p.
- Kruse, S., Caldwell, D.K., Caldwell, M.C., 1999. Risso's dolphin *Grampus griseus* (G. Cuvier, 1812). In : *Handbook of Marine Mammals*. (S.H. Ridgway, R.J. Harrison, eds.), Academic Press, New York, 6, 183-212.
- Klumov, S.K., 1962. Gladkie (Yaponskie) kity tikhago okeana (La baleine franche de l'océan Pacifique). *Tr. Inst. Okeanol. Akad. Nauk. SSR* 58, 202-297.
- Koopman, H.N., Gaskin, D.E., 1994. Individual and geographical variation in pigmentation patterns of the harbour porpoise, *Phocoena phocoena* (L.). *Can. J. Zool.*, 72, 135-143.

- Lambertsen, R.H., 1983. Internal mechanism of rorqual feeding. *J. Mamm.*, 64(1), 76-88.
- Lambertsen, R., Ulrich, N., Straley, J., 1995. Frontomandibular stay of *Balaenopteridae*: A mechanism for momentum recapture during feeding. *J. Mamm.*, 76(3), 877-899.
- Làzaro, M., Lessa, E.P., Hamilton, H., 2004. Geographic genetic structure in the franciscana dolphin (*Pontoporia blainvillei*). *Mar. Mamm. Sci.*, 20(2), 201-214.
- Leatherwood, S., Walker, W.A., 1979. The northern right whale dolphin *Lissodelphis borealis* Peale in the eastern north Pacific. In: *Behavior of Marine Animals*. (H.E. Winn, B.L. Olla), Plenum Press, New York, 3, 85-141.
- Leatherwood, S., Walker, W.A., 1982. Population biology and ecology of the Pacific white-sided dolphin *Lagenorhynchus obliquidens* in the northeastern Pacific. Part 1 – Distribution, seasonal movements and abundance with a bibliography and summary of specimen material. *Nat. Mar. Fish. Serv., Adm. Rep. LJ-82-18C*, 76 p.
- Lien, J., Barry, F., 1990. Status of Sowerby's beaked whale, *Mesoplodon bidens*, in Canada. *Can. Field-Naturalist*, 104(1), 125-130.
- Lien, J., Barry, F., Breeck, K., Zuschlag, U., 1990. Multiple strandings of Sowerby's beaked whales, *Mesoplodon bidens*, in Newfoundland. *Can. Field-Naturalist*, 104(3), 414-420.
- Lien, J., Nelson, D., Hai, D.J., 2001. Status of the white-beaked dolphin, *Lagenorhynchus albirostris*, in Canada. *Can. Field-Naturalist*, 115(1), 118-126.
- Lindquist, O., 2000. The North Atlantic gray whale (*Escherichtius robustus*): An historical outline on Icelandic, Danish-Icelandic, English and Swedish sources dating from ca. 1000 AD to 1792. *Occasional papers of the Centre for Environmental History and Policy*, St Andrews (Scotland), University of St Andrews, Stirling, University of Stirling, 53 p.
- Lloze, R., 1973. Contributions à l'étude anatomique, histologique et biologique de l'*Orcaella brevirostris* (Gray – 1866) (Cetacea-Delphinidae) du Mékong, thèse de doctorat, spécialité Sciences naturelles, université Paul Sabatier, Toulouse, 599 p.
- Lodi, L., 1992. New information on the feeding habits and baleen morphology of the pygmy right whale *Caperea marginata*. *Mar. Mamm. Sci.*, 8(3), 288-293.
- Loughlin, T.R., Perez, M.A., 1985. *Mesoplodon stejnegeri*. *Mammalian Species*, 250, 1-6.
- Loughlin, T.R., Fiscus, C.H., Johnson, A.M., Rugh, D.J., 1982. Observations of *Mesoplodon stejnegeri* (Ziphiidae) in the central Aleutian islands, Alaska. *J. Mamm.*, 63(4), 697-700.
- Lowry, L., O'Corry-Crowe, G., Goodman, D., 2006. *Delphinapterus leucas* (Cook Inlet subpopulation). *Delphinapterus leucas*. In: *IUCN 2011. IUCN Red List of Threatened Species*. Version 2011.2 <www.iucnredlist.org> (consulté le 20 janvier 2012).
- Lynas, E.M., Sylvestre, J.-P., 1988. Feeding techniques and foraging strategies of minke whale (*Balaenoptera acutorostrata*) in the St Lawrence river estuary. *Aqu. Mamm.*, 14(1), 21-32.
- Mace, M., 2003. Did the gray whale, *Eschrichtius robustus*, calve in the Mediterranean? *Lattara*, 16, 153-164.
- MacLeod, C.D., Perrin, W.F., Pitman, R., Barlow, J., Ballance, L., D'Amico, A., Gerrodette, T., Joyce, G., Mullin, K.D., Palka, D.L., Warning, G.T., 2006. Known and inferred distributions of beaked whale species (Cetacea: Ziphiidae). *J. Cetacean Res. Manage.*, 7(3), 271-286.
- Martin, A.R., Da Silva, V.M.F., 2006. Sexual dimorphism and body scarring in the Boto (Amazon river dolphin) *Inia geoffrensis*. *Mar. Mamm. Sci.*, 22(1), 25-33.

- Marsh, H., Lloze, R., Heinsohn, G.E., Kasuya, T., 1989. Irrawaddy dolphin, *Orcaella brevirostris* (Gray, 1866). In : *Handbook of Marine Mammals*. (S.H. Ridgway, R.J. Harrison, eds.), Academic Press, New York, 4, 101-118.
- Martuscelli, P., Milanelo, M., Olmos, F., 1995. First record of Arnoux's beaked whale (*Berardius arnuxii*) and southern right-whale dolphin (*Lissodelphis peronii*) from Brazil. *Mammalia*, 59(2), 274-275.
- Matsuoka, K., Fujise, Y., Pastene, L.A., 1996. A sighting of a large school of the pygmy right whale, *Caperea marginata*, in the southeast Indian ocean. *Mar. Mamm. Sci.*, 12(4), 594-597.
- McLeish, T., 2013. *Narwhals : Arctic Whales in a Molting World*. Univ. Washington Press, 206 p.
- Mead, J.G., 1975. A fossil beaked whale (Cetacea : Ziphiidae) from the Miocene of Kenya. *J. Paleontol.*, 49, 745-751.
- Mead, J.G., 1981. First records of *Mesoplodon hectori* (Ziphiidae) from the northern hemisphere and a description of the adult male. *J. Mamm.*, 62(2), 430-432.
- Mead, J.G., 1984. Survey of reproductive data for the beaked whales (Ziphiidae). *Rep. Int. Whal. Commn (special Issue 6)*, 91-96.
- Mead, J.G., 1989a. Bottlenose whale *Hyperoodon ampullatus* (Forster, 1770) and *Hyperoodon planifrons* Flower, 1882). In : *Handbook of Marine Mammals* (S.H. Ridgway, R.J. Harrison, eds.), Academic Press, New York, 4, 321-348.
- Mead, J.G., 1989b. Beaked whales of the genus *Mesoplodon*. In : *Handbook of Marine Mammals* (S.H. Ridgway, R.J. Harrison, eds.), Academic Press, New York, 4, 349-430.
- Mead, J.G., 1989c. Shepherd's beaked whale *Tasmacetus shepherdi* Oliver, 1937. In : *Handbook of Marine Mammals*. (S.H. Ridgway, R.J. Harrison, eds.), Academic Press, New York, 4, 309-320.
- Mead, J.G., Baker, A.N., 1987. Notes on the rare beaked whale, *Mesoplodon hectori* (Gray). *J. Roy. Soc. New Zealand*, 17, 303-312.
- Mead, J.G., Payne, R.S., 1975. A specimen of the tasman beaked whale, *Tasmacetus shepherdi*, from Argentina. *J. Mamm.*, 56(1), 213-218.
- Mead, J.G., Walker, W.A., Jouck, W.J., 1982. Biological observations on *Mesoplodon carlhubbsi* (Cetacea : Ziphiidae). *Smithsonian Contrib. Zool.*, 344, 25 p.
- Meredith, G.N., Campbell, R.R., 1988. Status of fin whale, *Balaenoptera physalus*, in Canada. *Can. Field-Naturalist*, 102(2), 351-368.
- Messenger, S.L., McGuire, A.M., 1998. Morphology, molecules, and the phylogenetics of cetaceans. *Syst. Biol.*, 47(1), 90-124.
- Milinkovitch, M.C., Meyer, A., Powell, J.R., 1994. Phylogeny of all major groups of cetaceans based on DNA sequences from three mitochondrial genes. *Mol. Biol. Evol.*, 11(6), 939-948.
- Miller, G.S., 1918. A new river dolphin from China. *Smith. Misc. Coll.*, 68(9), 1-10.
- Minamikawa, S., Watanabe, H., Iwasaki, T., 2013. Diving behaviour of a false killer whale, *Pseudorca crassidens*, in the Kuroshio-Oyashio transition region and the Kuroshio front region of the western North Pacific. *Mar. Mamm. Sci.*, 19(1), 177-185.
- Minton, G., Collins, T., Pomilla, C., Frindlay, K.P., Rosenbaum, H., Baldwin, R., Brownell Jr., R.L., 2008. *Megaptera novaeangliae* (Arabian Sea subpopulation). In : *IUCN 2011. IUCN Red List of Threatened Species*. Version 2011.2 <www.iucnredlist.org> (consulté le 24 avril 2012).
- Mitchell, E., 1968. Northeast Pacific stranding distribution and seasonality of Cuvier's beaked whale, *Ziphius cavirostris*. *Can. J. Zool.*, 46, 265-279.

- Mitchell, E.D., Kozicki, V.M., 1975. Autumn stranding of a northern bottlenose whale (*Hyperoodon ampullatus*) in the Bay of Fundy. *J. Fish. Res. Board Can.*, 32, 1019-1040.
- Miyashita, T., 1986. Abundance of Baird's beaked whales off the Pacific coast of Japan. *Rep. Int. Whaling Comm.*, 36, 383-386.
- Miyazaki, N., Nakamura, I., Tanabe, S., Tatsukawa, R., 1987. A stranding of *Mesoplodon stejnegeri* in the Maizuru Bay, Sea of Japan. *Sci. Rep. Whales Res. Inst., Tokyo*, 38, 91-105.
- Miyazaki, N., Perrin, W.F., 1994. Rough-toothed dolphin, *Steno bredanensis* (Lesson, 1828). In : *Handbook of Marine Mammals* (S.H. Ridgway, R.J. Harrison, eds.), Academic Press, New York, 5, 1-22.
- Miyazaki, N., Wada, S., 1978. Fraser's dolphin, *Lagenodelphis hosei*, in the western north Pacific. *Sci. Rep. Whal. Res. Inst., Tokyo*, 30, 231-244.
- Moore, J.C., 1963a. The goose-beaked whale, where in the world ? *Bull. Chicago Nat. Hist. Mus.*, 34, 2-3.
- Moore, J.C., 1963b. Recognizing certain species of beaked whales of the Pacific ocean. *Am. Mid. Nat.*, 70, 396-428.
- Moore, J.C., 1968. Relationships among the living genera of beaked whales. *Fieldiana . Zool.* 53, 209-298.
- Montgomery, S., 2000. *Journey of the pink dolphins: An Amazon quest*. Simon & Schuster, New York, 317 p.
- Morejohn, G.V., 1979. The natural history of Dall's porpoise in the North Pacific ocean. In : *Behavior of Marine Mammals* (H.E. Winn, B.L. Olla, eds.), Plenum Press, New York, 45-83.
- Munger, L.M., Wiggins, S.M., Moore, S.E., Hildebrand, J.A., 2008. North Pacific right whale (*Eubalaena japonica*) seasonal and diel calling patterns from long-term acoustic recording in the southeastern Bering Sea, 2000-2006. *Mar. Mamm. Sci.*, 24(4), 795-814.
- Murphy, S., Herman, J.S., Pierce, G.J., Rogan, E., Kitchener, A.C., 2006. Taxonomic status and geographical cranial variation of common dolphins (*Delphinus*) in the eastern North Atlantic. *Mar. Mamm. Sci.*, 22(3), 573-599.
- Nakajima, M., Nishiwaki, M., 1965. The first occurrence of a porpoise (*Electra electra*) in Japan. *Sci. Rep. Whales Res. Inst., Tokyo*, 19, 91-104.
- Nargossen, D., 1985. *Kogia simus*. *Mammalian Species*, 239, 1-6.
- National Marine Fisheries Service (NMFS), 1991. *Recovery plan for the Northern right whale* (*Eubalaena glacialis*), préparé par l'équipe de rétablissement de la baleine franche noire pour le National Marine Fisheries Service, Silver Spring, Maryland, 86 p.
- Nelson, D.L., Lien, J., 1994. Behavior patterns of two captive Atlantic white-sided dolphins, *Lagenorhynchus acutus*. *Aqu. Mamm.*, 20(1), 1-10.
- Nemoto, T., 1962. A secondary sexual character of fin whales. *Sci. Rep. Int. Whales Res. Inst., Tokyo*, 16, 29-33.
- Newcomer, M.W., Jefferson, T.A., Brownell, Jr, R.L., 1996. *Lissodelphis peronii*. *Mamm. Species, Am. Soc. Mammalogists*, 531, 1-5.
- Nishiwaki, M., 1972. General biology. In : *Mammals of the Sea : Biology and Medicine*. (S.H. Ridgway, ed.), Charles C. Thomas Publ., Springfield, Illinois, 3-204.
- Nishiwaki, M., Kamiya, T., 1958. A beaked whale *Mesoplodon* stranded at Oiso Beach, Japan. *Sci. Rep. Whales Res. Inst., Tokyo*, 13, 53-83.

- Nishiwaki, M., Kamiya, T., 1959. *Mesoplodon stejnegeri* from the coast of Japan. *Sci. Rep. Whales Res. Inst., Tokyo*, 14, 25-48.
- Nishiwaki, M., Kasuya, T., Kamiya, T., Tobayama, T., Nakajima, M., 1965. *Feresa attenuata* captured at the Pacific coast of Japan in 1963. *Sci. Rep. Whales Res. Inst., Tokyo*, 19, 65-90.
- Nishiwaki, M., Kasuya, T., Kureha, K., Oguro, N., 1972. Further comments on *Mesoplodon ginkgodens*. *Sci. Rep. Whales Res. Inst., Tokyo*, 24, 43-56.
- Nishiwaki, M., Oguro, N., 1972. Catch of the Cuvier's beaked whales off Japan in recent years, *Sci. Rep. Whales Res. Inst., Tokyo*, 24, 35-41.
- Norman, S. A., Mead, J. G. 2001. *Mesoplodon europaeus*. *Mammalian Species*, 688, 1-5.
- Odell, D.K., McClune, K.M., 1999. False killer whale *Pseudorca crassidens* (Owen, 1846). In : *Handbook of Marine Mammals* (S.H. Ridgway, R.J. Harrison, eds.), Academic Press, New York, 6, 213-243.
- Ohsumi S., 1958. A descendant of Moby Dick, or a white sperm whale. *Sci. Rep. Whales Res. Inst., Tokyo*, 13, 207-209.
- Oliveira Santos, M.C., de Zampirolli, E., de Castro, A.F.V., Alvarenga, F.S., 2003. A Gervais' beaked whale (*Mesoplodon europaeus*) washed ashore in southeastern Brazil: extra limital record? *Aquatic Mammals*, 29, 404-410.
- Omura, H., 1958. North Pacific right whale. *Sci. Rep. Whales Res. Inst., Tokyo*, 13, 1-52.
- Omura, H., 1972. A osteological study of the Cuvier's beaked whale, *Ziphius cavirostris*, in the northwest Pacific. *Sci. Rep. Whales Res. Inst., Tokyo*, 24, 1-34.
- Omura, H., Kasuya, T., 1979. A skull of baleen whale dredged from the Inland Sea of Japan. *Sci. Rep. Whales Res. Inst., Tokyo*, 31, 85-92.
- Ostrom, P.H., Lien, J., Macko, A., 1993. Evaluation of the diet of Sowerby's beaked whale, *Mesoplodon bidens*, based on isotopic comparisons among northwestern Atlantic cetaceans. *Can. J. Zool.*, 71, 858-861.
- Ott, P.H., Danilewicz, D., 1996. Southward range extension of *Steno bredanensis* in the southwest Atlantic and new records of *Stenella coeruleoalba* for Brazilian waters. *Aqu. Mamm.*, 22(3), 185-189.
- Park K.-B., 2003. Cetaceans and whaling in the Bangudae rock engravings. In : *The 2nd summit of japanses traditionnal whaling communities*, (I. Nagasaki, ed.), The Institute of Cetacean Research, Tokyo, 43-72.
- Pastene L.A., 2006. A brief review of the genetic studies on dwarf minke whale based on JARPA samples. Paper SC/D06/J8, *IWC Scientific Committee JARPA Review Workshop*, December 2006.
- Perrin, W.F., 1975. Variation of spotted and spinner porpoise (genus *Stenella*) in the eastern tropical Pacific and Hawaii. *Bull. Scripps Inst. Ocean., Univ. Cal., San Diego*, 21, 1-206.
- Perrin, W.F., 1990. Subspecies of *Stenella longirostris* (Mammalia : Cetacea : Delphinidae), *Proc. Biol. Soc. Wash.*, 103(2), 453-463.
- Perrin, W.F., 1998. *Stenella longirostris*. *Mammalian Species, Am. Soc. Mammalogists*, 599, 1-7.
- Perrin, W.F., 2001. *Stenella attenuata*. *Mammalian Species, Am. Soc. Mammalogists*, 683, 1-8.
- Perrin, W.F., 2002. *Stenella frontalis*. *Mammalian Species, Am. Soc. Mammalogists*, 702, 1-6.
- Perrin, W.F., Brownell Jr., R.L., 2002. Minke whales *Balaenoptera acutorostrata* and *B. bonaerensis*. In : *Encyclopedia of marine mammals* (W.F. Perrin, B. Würsig, J.G.M. Thewissen, eds.), Academic Press, San Diego, 750-754.

- Perrin, W.F., Brownell, Jr., R.L., Zhou, K., Liu, J., eds, 1989. *Biology and Conservation of the River Dolphins*. Occasional papers of the IUCN Species Survival Commission (SSC), 3, IUCN, 173 p.
- Perrin, W.F., Caldwell, D.K., Caldwell, M.C., 1994. Atlantic spotted dolphin *Stenella frontalis* (G. Cuvier, 1829). In : *Handbook of Marine Mammals*. (S.H. Ridgway, R.J. Harrison, eds.), Academic Press, New York, 5, 173-190.
- Perrin, W.F., Dolar, L.L., Amano, M., Hayano, A., 2003. Cranial sexual dimorphism and geographic variation in Fraser's dolphin, *Lagenodelphis hosei*. *Mar. Mamm. Sci.*, 19(3), 484-501.
- Perrin, W.F., Gilpatrick, Jr, J.W., 1994. Spinner dolphin *Stenella longirostris* (Gray, 1828). In : *Handbook of Marine Mammals* (S.H. Ridgway, R.J. Harrison, eds.), Academic Press, New York, 5, 99-128.
- Perrin, W.F., Hohn, A.A., 1974. Pantropical spotted dolphin *Stenella attenuata*. In : *Handbook of Marine Mammals* (S.H. Ridgway, R.J. Harrison, eds.), Academic Press, New York, 5, 71-98.
- Perrin, W.F., Leatherwood, S., Collet, A., 1994. Fraser's dolphin *Lagenodelphis hosei* Fraser, 1956. In : *Handbook of Marine Mammals* (S.H. Ridgway, R.J. Harrison, eds.), Academic Press, New York, 5, 225-240.
- Perrin, W.F., Mead, J.G., 1994. Clymene dolphin *Stenella clymene* (Gray, 1846). In : *Handbook of Marine Mammals* (S.H. Ridgway, R.J. Harrison, eds.), Academic Press, New York, 5, 161-171.
- Perrin, W.F., Mitchell, E.D., Mead, J.G., Caldwell, D.K., Caldwell, M.C., Van Bree, P.J.H., Dawbin, W.H., 1987. Revision of the spotted dolphins, *Stenella* spp. *Mar. Mamm. Sci.*, 3(2), 99-170.
- Perrin, W.F., Mitchell, E.D., Mead, J.G., Caldwell, D.K., Van Bree, P.J.H., 1981. *Stenella clymene*, a rediscovered tropical dolphin of the Atlantic. *J. Mamm.*, 62(3), 583-598.
- Perrin, W.F., Miyazaki, N., Kasuya, T., 1989. A dwarf form of the spinner dolphin (*Stenella longirostris*) from Thailand. *Mar. Mamm. Sci.*, 5(3), 213-227.
- Perrin, W.F., Robertson, K.M., Van Bree, P.J.H., Mead, J.G., 2007. Cranial description and genetic identity of the holotype specimen of *Tursiops aduncus* (Ehrenberg, 1832). *Mar. Mamm. Sci.*, 23(2), 343-357.
- Perrin, W.F., Walker, W.A., 1975. The rough-toothed porpoise, *Steno bredanensis*, in the eastern tropical Pacific. *J. Mamm.*, 56, 905-907.
- Perrin, W.F., Wilson, C.E., Archer II, F.I., 1994. Striped dolphin, *Stenella coeruleoalba* (Meyen, 1833). In : *Handbook of Marine Mammals*. (S.H. Ridgway, R.J. Harrison, eds.), Academic Press, New York, 5, 129-159.
- Perryman, W.L., Au, D.W.K., Leatherwood, S. Jefferson, T.A., 1994. Melon-headed whale *Peponocephala electra* Gray, 1846. In : *Handbook of Marine Mammals* (S.H. Ridgway, R.J. Harrison, eds.), Academic Press, New York, 5, 363-386.
- Pilleri, G., 1969. On the behaviour of the Amazon dolphin, *Inia geoffrensis* in Beni (Bolivia). *Rev. Suisse Zool.*, 76(1), 57-91.
- Pilleri, G., 1970. Observations on the behavior of *Platanista gangetica* in the Indus and Brahmaputra rivers. *Inv. Cetacea*, 2, 27-70.
- Pilleri, G., 1975. *Die Geheimnisse der blinden delphine*. Hallwag, Bern, 216 p.
- Pilleri G., 1983a. *Auf Baffinland zur Erforschung des Narwals (Monodon monoceros)*, Hirnanatomischen Institutes, Ostermundigen (Berne), 80 p.

- Pilleri G., 1983b. Remarks on the ecology and behaviour of the narwhal (*Monodon monoceros*), with particular reference to the Savssat. *Inv. Cetacea*, XV, 123-142.
- Pilleri, G., Chen, P., 1980. *Neophocaena phocaenoides* and *Neophocaena asiaeorientalis*: Taxonomical differences. *Inv. Cetacea*, 11, 25-32.
- Pilleri, G., Gahr, M., 1969. On the anatomy and behavior of Risso's dolphin (*Grampus griseus* G. Cuvier). *In* : *Inv. Cetacea*, 1, 74-93.
- Pilleri, G., Gahr, M., 1972. Contribution to the knowledge of the cetaceans of Pakistan with particular reference to the genera *Neomeris*, *Sousa*, *Delphinus* and *Tursiops* and description of a new chinese porpoise (*Neomeris asiaeorientalis*). *Inv. Cetacea*, 4, 107-162.
- Pilleri, G., Gahr, M., 1975. On the taxonomy and ecology of the finless black porpoise, *Neophocaena* (Cetacea, Delphinidae). *Mammalia*, 39(4), 657-673.
- Pilleri, G., Gahr, M., 1980. Additional consideration on the taxonomy of the genus *Inia*. *Inv. Cetacea*, 11, 15-24.
- Pinedo, M.C., 1987. First record of a dwarf sperm whale from southwest Atlantic, with reference to osteology, food habits and reproduction. *Sci. Rep. Whales Res. Inst., Tokyo*, 38, 171-186.
- Pimper, L.E., Goodall, R.N.P., Remis, M.I., 2012. First mitochondrial DNA analysis of the spectacled porpoise (*Phocoena dioptrica*) from Tierra del Fuego, Argentina. *Mammalian Biology*, Elsevier, doi :10.1016/j.mambio.2012.02.002.
- Pinedo, M.C., Barreto, A.S., Lammardo, M.P., Andrade, A.L.V., Geracitano, L., 2002. Northermost records of the spectacled porpoise, Layard's beaked whale, Commerson's dolphin, and Peale's dolphin in the southwestern Atlantic Ocean. *Aq. Mamm.*, 28, 2215-2223.
- Pitman, R.L., 2002. Alive and whale: A missing cetacean resurfaces in the Tropics. *Natural History*, 9, 32-34.
- Pitman, R.L., ed., 2011. Killer whale: The top, top predator. *Whalewatcher, J Am. Cetacean Soc.*, 40(1), 68 p.
- Pitman, R.L., Lynn, M.S., 2001. Biological observations of an unidentified mesoplodont whale in the eastern tropical Pacific and probable identity : *Mesoplodon peruvianus*. *Mar. Mamm. Sci.*, 17(3), 648-657.
- Pitman, R.L., Palacios, D.M., Brennan, P.L.R., Brennan, B.J., Balcomb III, K.C., Miyashita, T., 1999. Sightings and possible identity of a bottlenose whale in the tropical Indo-Pacific : *Indopacetus pacificus* ? *Mar. Mamm. Sci.*, 15(2), 531-549.
- Pitman, R.L., Van Helden, A., Best, P.B., Pym, A., 2006. Shepherd's beaked whale (*Tasmacetus shepherdi*) : Information on appearance and biology based on strandings an at-sea observations. *Mar. Mamm. Sci.*, 22(3), 744-755.
- Podesta, M., Cagnolaro, L., Cozzi, B., 2005. First record of a stranded Gervais' beaked whale, *Mesoplodon europaeus* (Gervais, 1855), in the Mediterranean Sea. *Atti della Societa Italiana di Scienze Naturali e del Museo Civico di Storia Naturele di Milano*, 146, 109-116.
- Ponganis, P.J., Kooyman, G.L., Castellini, M.A., 1995. Multiple sightings of Arnoux's beaked whales along the Victoria Land coast. *Mar. Mamm. Sci.*, 11, 247-250.
- Prescott J., Gauquelin M., (eds.), 1990. *Pour l'avenir du béluga-For the Future of the Beluga*. Presses de l'Université du Québec, Québec, 345 p.
- Price, S.A., Bininda-Emonds, O.R.P., Gittleman, J.L., 2005. A complete phylogeny of the whales, dolphins and even-toed hoofed mammals (*Cetartiodactyla*). *Biol. Rev.*, 80, 445-473.

- Purves, P.E., Pilleri, G., 1978. The functional anatomy and général biology of *Pseudorca crassidens* (Owen) with a review of the hydrodynamics and acoustics in cetacea. *In : Inv. Cetacea*, 4, 67-227.
- Pyenson, N.D., 2009. Requiem for *Lipotes* : An evolutionary perspective on marine mammal extinction. *Mar. Mamm. Sci.*, 25(3), 714-724.
- Ralls, C., Brownell Jr., R.L., 1991. A whale of a new species. *Nature*, 350, 560.
- Raven, H.C., 1942. On the structure of *Mesoplodon densirostris*, a rare beaked whale. *Bull. American Mus. Nat. Hist.*, 80 (2), 23-50.
- Raynal, M., Sylvestre, J.-P., 1991. Cetaceans with two dorsal fins. *Aqu. Mamm.*, 17(1), 31-36.
- Read, A.J., 1999. Harbour porpoise *Phocoena phocoena* (Linnaeus, 1758). *In : Handbook of Marine Mammals* (S.H. Ridgway, R.J. Harrison, eds.), Academic Press, New York, 6, 323-355.
- Reeves, R.R., Brownell, L., Jr., 1989. Susu, *Platanista gangetica* (Roxburg, 1801) and *Platanista minor* Owen, 1853.). *In : Handbook of Marine Mammals* (S.H. Ridgway, R.J. Harrison, eds.), Academic Press, New York, 4, 69-99.
- Reeves, R.R., Mitchell, E., 1993. Status of Baird's beaked whale, *Berardius bairdii*. *Can. Field-Naturalist*, 107(4), 509-523.
- Reeves, R.R., Mitchell, E., Whitehead, H., 1993. Status of the northern bottlenose whale, *Hyperoodon ampullatus*. *Can. Field-Naturalist*, 107(4), 490-508.
- Reeves, R.R., Smeenk, C., Brownell, Jr, R.L., Kinze, C.C., 1999. Atlantic white-sided dolphin *Lagenorhynchus acutus* (Gray, 1828). *In : Handbook of Marine Mammals* (S.H. Ridgway, R.J. Harrison, eds.), Academic Press, New York, 6, 31-56.
- Reeves, R.R., Smeenk, C., Kinze, C.C., Brownell, Jr, R.L., Lien, J., 1999. White-beaked dolphin *Lagenorhynchus albirostris* Gray, 1846. *In : Handbook of Marine Mammals* (S.H. Ridgway, R.J. Harrison, eds.), Academic Press, New York, 6, 1-30.
- Reeves R.R., Tracey S., 1980. *Monodon monoceros*. *Mammalian Species*, 127, 1-7 p.
- Reilly, S.B., Bannister, J.L., Best, P.B., Brown, M., Brownell, Jr R.L., Butterworth, D.S., Clapham, P.J., Cooke, J., Donovan, G.P., Urbàn, J., Zerbini, A.N., 2008a. *Eubalaena glacialis*. *In : IUCN 2011. IUCN Red List of Threatened Species*. Version 2011.2 <www.iucnredlist.org> (consulté le 10 janvier 2012).
- Reilly, S.B., Bannister, J.L., Best, P.B., Brown, M., Brownell Jr., R.L., Butterworth, D.S., Clapham, P.J., Cooke, J., Donovan, G.P., Urbàn, J., Zerbini, A.N., 2008b. *Eubalaena japonica*. *In : IUCN 2011. IUCN Red List of Threatened Species*. Version 2011.2 <www.iucnredlist.org> (consulté le 10 janvier 2012).
- Reilly, S.B., Bannister, J.L., Best, P.B., Brown, M., Brownell Jr., R.L., Butterworth, D.S., Clapham, P.J., Cooke, J., Donovan, G.P., Urbàn, J., Zerbini, A.N., 2008c. *Eubalaena australis*. *In : IUCN 2011. IUCN Red List of Threatened Species*. Version 2011.2 <www.iucnredlist.org> (consulté le 10 janvier 2012).
- Reilly, S.B., Bannister, J.L., Best, P.B., Brown, M., Brownell Jr., R.L., Butterworth, D.S., Clapham, P.J., Cooke, J., Donovan, G.P., Urbàn, J., Zerbini, A.N., 2008e. *Eschrichtius robustus*. *In : IUCN 2011. IUCN Red List of Threatened Species*. Version 2011.2 <www.iucnredlist.org> (consulté le 15 janvier 2012).
- Reilly, S.B., Bannister, J.L., Best, P.B., Brown, M., Brownell Jr., R.L., Butterworth, D.S., Clapham, P.J., Cooke, J., Donovan, G.P., Urbàn, J., Zerbini, A.N., 2008f. *Eschrichtius robustus* (western subpopulation). *In : IUCN 2011. IUCN Red List of Threatened Species*. Version 2011.2 <www.iucnredlist.org> (consulté le 15 janvier 2012).

- Reilly, S.B., Bannister, J.L., Best, P.B., Brown, M., Brownell Jr., R.L., Butterworth, D.S., Clapham, P.J., Cooke, J., Donovan, G.P., Urbàn, J., Zerbini, A.N., 2008g. *Balaenoptera musculus*. In : *IUCN 2011. IUCN Red List of Threatened Species*. Version 2011.2 <www.iucnredlist.org> (consulté le 13 janvier 2012).
- Reilly, S.B., Bannister, J.L., Best, P.B., Brown, M., Brownell Jr., R.L., Butterworth, D.S., Clapham, P.J., Cooke, J., Donovan, G.P., Urbàn, J., Zerbini, A.N., 2008h. *Balaenoptera physalus*. In : *IUCN 2011. IUCN Red List of Threatened Species*. Version 2011.2 <www.iucnredlist.org> (consulté le 15 avril 2012).
- Reilly, S.B., Bannister, J.L., Best, P.B., Brown, M., Brownell Jr., R.L., Butterworth, D.S., Clapham, P.J., Cooke, J., Donovan, G.P., Urbàn, J., Zerbini, A.N., 2008i. *Megaptera novaeangliae*. In : *IUCN 2011. IUCN Red List of Threatened Species*. Version 2011.2 <www.iucnredlist.org> (consulté le 24 avril 2012).
- Reilly, S.B., Bannister, J.L., Best, P.B., Brown, M., Brownell Jr., R.L., Butterworth, D.S., Clapham, P.J., Cooke, J., Donovan, G.P., Urbàn, J., Zerbini, A.N., 2008j. *Balaenoptera borealis*. In : *IUCN 2011. IUCN Red List of Threatened Species*. Version 2011.2 <www.iucnredlist.org> (consulté le 25 avril 2012).
- Reilly, S.B., Bannister, J.L., Best, P.B., Brown, M., Brownell Jr., R.L., Butterworth, D.S., Clapham, P.J., Cooke, J., Donovan, G.P., Urbàn, J., Zerbini, A.N., 2008k. *Balaenoptera acutorostrata*. In : *IUCN 2011. IUCN Red List of Threatened Species*. Version 2011.2 <www.iucnredlist.org> (consulté le 1^{er} mai 2012).
- Reilly, S.B., Bannister, J.L., Best, P.B., Brown, M., Brownell Jr., R.L., Butterworth, D.S., Clapham, P.J., Cooke, J., Donovan, G.P., Urbàn, J., Zerbini, A.N., 2008l. *Balaenoptera bonaerensis*. In : *IUCN 2011. IUCN Red List of Threatened Species*. Version 2011.2 <www.iucnredlist.org> (consulté le 3 mai 2012).
- Reilly, S.B., Bannister, J.L., Best, P.B., Brown, M., Brownell Jr., R.L., Butterworth, D.S., Clapham, P.J., Cooke, J., Donovan, G.P., Urbàn, J., Zerbini, A.N., 2008m. *Balaenoptera omurai*. In : *IUCN 2011. IUCN Red List of Threatened Species*. Version 2011.2 <www.iucnredlist.org> (consulté le 5 mai 2012).
- Reilly, S.B., Bannister, J.L., Best, P.B., Brown, M., Brownell Jr., R.L., Butterworth, D.S., Clapham, P.J., Cooke, J., Donovan, G.P., Urbàn, J., Zerbini, A.N., 2008n. *Balaenoptera edeni*. In : *IUCN 2011. IUCN Red List of Threatened Species*. Version 2011.2 <www.iucnredlist.org> (consulté le 6 mai 2012).
- Reilly, S.B., Bannister, J.L., Best, P.B., Brown, M., Brownell Jr., R.L., Butterworth, D.S., Clapham, P.J., Cooke, J., Donovan, G.P., Urbàn, J., Zerbini, A.N., 2008o. *Caperea marginata*. In : *IUCN 2011. IUCN Red List of Threatened Species*. Version 2011.2 <www.iucnredlist.org> (consulté le 8 mai 2012).
- Reiner, F., 1980. First record of an Antillean beaked whale, *Mesoplodon europaeus* Gervais 1855, from República Popular da Guiné-Bissau. *Mem. Mus. di Mar, S. Zool.*, 1(8), 8 p.
- Reiner, F., 1986. First record of Sowerby's beaked whale from Azores. *Sci. Rep. Whales Res. Inst., Tokyo*, 37, 103-107.
- Reyes, J.C., Mead, J.G., Van Waerebeek, K., 1991. A new species of beaked whale *Mesoplodon peruvianus* sp.n. (Cetacea : Ziphiidae) from Peru. *Mar. Mamm. Sci.*, 7(10), 1-24.
- Reyes, J.C., Van Waerebeek, K., Cárdenas, J.C., Yànez, J.L., 1995. *Mesoplodon bahamondi* sp. n. (Cetacea, Ziphiidae), a new living beaked whale from the Juan Fernández Archipelego, Chile. *Boletín del Museo Nacional de Historia Natural, Chile*, 45, 31-44.
- Reynolds, J.E., Wells, R.S., Eide, S.D., (eds). 2000. *The Bottlenose Dolphins: Biology and Conservation*. University of Florida Press, Gainesville, 288 p.

- Rice, D.W., 1989. Sperm whale *Physeter macrocephalus* Linnaeus, 1758. In : *Handbook of Marine Mammals* (S.H. Ridgway, R.J. Harrison, eds.), 4, Academic Press, New York, 177-233.
- Rice, D.W., 1998. *Marine Mammals of the World: Systematics and Distribution*. The Society for Marine Mammalogist, Special Publication 4, 231 p.
- Rice, D.W., Wolman, A.A., 1971. The life history and ecology of the grey whale (*Eschrichtius robustus*), *Am. Soc. Mammal.*, Special Publication, 3, 142 p.
- Ritter, F., Brederlau, B., 1999. Behavioural observations of dense beaked whales (*Mesoplodon densirostris*) off La Gomera, Canary Islands (1995-1997). *Aqu. Mamm.*, 25(2), 55-61.
- Robineau, D., 1984. Sur les mammifères marins du bâton gravé préhistorique de Montgaudier. *L'Anthropologie*, 88(4), 661-664.
- Robineau, D., 1986. Valeur adaptive des caractères morphologiques distinctifs (taille et pigmentation) d'une population isolée d'un dauphin subantarctique, *Cephalorhynchus commersonii* (Lacépède, 1804). *Mammalia*, 50(3), 357-368.
- Rojas-Bracho, L., Reeves, R.R., Jaramillo-Legorreta, A., 2006. Conservation of vaquita *Phocoena sinus*. *Mammal Rev.* 36(3), 179-216.
- Rojas-Bracho, L., Taylor, B.L., 1999. Risk factors affecting the vaquita (*Phocoena sinus*). *Mar. Mamm. Sci.*, 15(4), 974-989.
- Rosel, P.E., Rojas-Bracho, L., 1999. Mitochondrial DNA variation in the critically endangered vaquita *Phocoena sinus* Norris and MacFarland, 1958. *Mar. Mamm. Sci.*, 15(4), 990-1003.
- Rosenbaum, H.C., Brownell Jr., R.L., Brown, M.W., Schaeff, C., Portway, V., White, B.N., Malik, S., Pastene, L.A., Patenaude, N.J., Baker, C.S., Goto, M., Best, P.B., Clapham, P.J., Hamilton, P., Moore, M., Payne, R., Rowntree, V., Tynan, C.T., Bannister, J.L., DeSalle, R., 2000. World-wide genetic differentiation of *Eubalaena*: questioning the number of right whale species. *Molecular Ecology*, 9(1), 1793-1802.
- Ross, G.J.B., 1970. The occurrence of Hector's beaked whale *Mesoplodon hectori* (Gray) in South African waters. *Ann. Cape Prov. Mus. (Nat. Hist.)*, 8, 195-204.
- Ross, G.J.B., 1979. Records of pygmy and dwarf sperm whales, genus *Kogia*, from southern Africa, with biological notes and some comparisons. *Ann. Cape Prov. Mus. (nat. Hist.)*, 11(14), 259-327.
- Ross, G.J.B., Best, P.B., Donnelly, B.G., 1975. New records of the pygmy right whale (*Caperea marginata*) from South Africa, with comments on distribution, migration, appearance, and behavior. *J. Fish. Res. Board Can.*, 32, 1005-1017.
- Ross, G.J.B., Heinsohn, G.E., Cockcroft, V.G., 1994. Humpback dolphins *Sousa chinensis* (Osbeck, 1765), *Sousa plumbea* (G. Cuvier, 1829) and *Sousa teuszii* (Kukenthal, 1892). In : *Handbook of Marine Mammals* (S.H. Ridgway, R.J. Harrison, eds.), Academic Press, New York, 5, 23-42.
- Ross, G.J.B., Leatherwood, S., 1994. Pygmy killer whale *Feresa attenuata* Gray, 1874. In : *Handbook of Marine Mammals* (S.H. Ridgway, R.J. Harrison, eds.), Academic Press, New York, 5, 387-404.
- Rowntree, V.J., Payne, R.S., Schell, D.M., 2001. Changing patterns of habitat use by southern right whales (*Eubalaena australis*) on their nursery ground at Peninsula Valdès, Argentina, and in their long-range movements. *J. Cetacean Res. Manage. (Spec. Issue)*, 2, 133-143.
- Ruiz-Garcia, M., Shostell, J.M., eds., 2010. *Biology, Evolution and Conservation of River Dolphins with South America and Asia*. Wildlife Protection, Destruction and extinction Series, Nova Science Publ., New York, 504 p.

- Saayman, G.S., Tayler, C.K., 1979. The socioecology of humpback dolphins (*Sousa* sp.). In: *Behavior of Marine Animals, Volume 3 : Cetaceans*. (H.E.W. Winn, B.L. Olla, eds.), Plenum Press, New York, 165-226.
- Salden, D.R., Mickelsen, J., 1999. Rare sighting of a North Pacific right whale (*Eubalaena glacialis*) in Hawaii. *Pacific Science* 53(4), 341-345.
- Santora, J.A., 2012. Habitat use of hourglass dolphins near the South Shetland islands, Antarctica. *Polar Biol.*, 35, 801-806.
- Santora, J.A., Brown, E.T., 2010. Spatial distribution patterns of southern bottlenose whales, *Hyperoodon planifrons*, near the South Shetland Islands, Antarctica. *Mar. Mamm. Sc.*, 26(4), 960-968.
- Santos, M.B., Pierce, G.J., Lopez, A., Reid, R.J., Ridoux, V., Mente, E., 2006. Pygmy sperm whales *Kogia breviceps* in the Northeast Atlantic: New information on stomach contents and strandings. *Mar. Mamm. Sci.*, 22(3), 600-616.
- Särnblad, A., Danbolt, M., Dalen, L., Amir, O.A., Berggren, P., 2010. Phylogenetic placement and population structure of Indo-Pacific bottlenose dolphins (*Tursiops aduncus*) off Zanzibar, Tanzania, based on mtDNA sequences. *Mar. Mam. Sci.*, 27(2), 431-448.
- Sasaki, T., Nikaido, M., Wada, S., Yamada, T.K., Cao, Y., Hasegawa, M., Okada, N., 2006. *Balaenoptera omurai* is a newly discovered baleen whale that represents an ancient evolutionary lineage. *Molecular phylogenetic and evolution*, Elsevier, 41, 40-52.
- Schartz, S., Jones, M.L., Leatherwood, S., (eds.), 1984. *The gray whale Eschrichtius robustus*, Academic Press, London, 600 p.
- Scammon, C.M., 1874. *The marine mammals of the North-Western coast of North America*, John H. Carmany and Company, San Francisco, 312 p.
- Schulte, H.V.W., Smith, M.D.F., 1918. The external characters, skeletal muscles, and peripheral nerves of *Kogia breviceps* (Blainville). *Bull. the Am. Mus. of Nat. Hist.*, 28(2), 7-72.
- Schulze, G., 1996. *Die Schweinswale*. Westarp Wissenschaften, Spektrum Akademischer Verlag, Berlin, 191 p.
- Sekiguchi, K., Klages, N.T.W., Best, P.B., 1996. The diet of strap-toothed whales (*Mesoplodon layardii*). *Journal of Zoology (London)*, 239, 453-463.
- Sekiguchi, K., Klages, N., Findley, K., Best P.B., 1993. Feeding habits and possible movements of southern bottlenose whales (*Hyperoodon planifrons*). *Proc. NIPR Symp. Polar Biol.*, 6, 84-97.
- Sekiguchi, K., Olavarria, C., Morse, L., Olson, P., Ensor, P., Matsuoka, K., Pitman, R., Findley, K., Gorter, U., 2006. The spectacled porpoise (*Phocoena dioptrica*) in Antarctic waters. *Natural history*, 8(3), 265-271.
- Sergeant, D.E., 1962. The biology of the pilot or pothead whale *Globicephala melaena* (Traill) in Newfoundland waters. *Bull. Fish. Res. Board Can.*, 132, 84 p.
- Sergeant, D.E., 1963. Minke whale, *Balaenoptera acutorostrata* Lacépède, of the Western North Atlantic. *J. Fish. Res. Bd. Canada*, 20(6), 1489-1504.
- Sergeant, D.E., Fisher, H.D., 1957. Sowerby's beaked whale. *J. Fish. Res. Board Canada*, 14(1), 83-115.
- Sergeant, D.E., St Aubin, D.J., Geraci, J.R., 1980. Life history and northwest atlantic status of the Atlantic white-sided dolphin, *Lagenorhynchus acutus*. *Cetology*, 37, 1-12.
- Sironi M., Rowntree V.J., Snowdon C.T., Valenzuela, L., Maròn C., 2009. Kelp gulls (*Larus dominicanus*) feeding on southern right whales (*Eubalaena australis*) at Península Valdès,

- Argentina: update estimates and conservation implications. *J. Cetacean Res. Manage.*, SC/61/BRG19, 12 p.
- Slooten, E., Dawson, S.M., 1994. Hector's dolphin, *Cephalorhynchus hectori* (Van Beneden, 1881). In : *Handbook of Marine Mammals* (S.H. Ridgway, R.J. Harrison, eds.), Academic Press, New York, 5, 311-334.
- Small, G.L., 1971. *The Blue Whale*, Columbia University Press, New York, 248 p.
- Soichi, M., Maeda, Y., Kato, K., Saeki, H., Inoue, S., 2009. Rescue and rehabilitation of the pygmy sperm whale, *Kogia breviceps*. *Jour. Japan Assoc. Zoo. Aqu.*, 50(1), 13-20.
- Stacey, P.J., Arnold, P.W., 1999. *Orcaella brevirostris*. *Mammalian Species, Am. Soc. Mammalogists*, 616, 1-8.
- Steffen, A., Steffen, W., 2003. *Pottwale: Im Dunklen Blau des Meeres*, Heel, Königswinter, 160 p.
- Stewart, B.S., Leatherwood, S., 1985. Minke whale *Balaenoptera acutorostrata* Lacépède, 1804. In : *Handbook of Marine Mammals* (S.H. Ridgway, R.J. Harrison, eds.), Academic Press, New York, 3, 91-136.
- Stewart, B.E., Stewart, E.A., 1989. *Delphinapterus leucas*. *Mammalian Species*, 336, 1-8.
- Sylvestre, J.-P., 1983. Review of *Kogia* specimens (*Physeteridae*, *Kogiinae*) kept alive in captivity. In : *Inv. on Cetacea*, Bernes, Suisse, XV, 201-219.
- Sylvestre, J.-P., 1985. Geographical variation of the striped dolphin, *Stenella coeruleoalba*, in western Mediterranean. *Lujana*, 2, 65-86.
- Sylvestre, J.-P., 1986a. Note sur des nouveau-nés des populations de cachalots (*Physeter macrocephalus* Linnaeus 1758) des côtes japonaises. *Lujana*, 4(1), 9-15.
- Sylvestre, J.P., 1986b. Le rorqual bleu ou le géant et le nain. *Lujana*, 4(1), 16-24.
- Sylvestre, J.-P., 1988a. On a specimen of pygmy sperm whale *Kogia breviceps* (Blainville, 1838) from New-Caledonia. *Aqu. Mamm.*, 14(2), 76-77.
- Sylvestre, J.-P., 1988b. Note on three dwarf sperm whales *Kogia simus* (Owen, 1866) and comments on Kogiids of Japanese coasts. *Aqu. Mamm.*, 14(3), 120-122.
- Sylvestre, J.-P., 2005. *Le béluga*, Coll. Les animaux en questions, Les Éditions de l'Homme, Montréal, 116 p.
- Sylvestre, J.-P., 2006. *Dans le sillage des orques*. Kameleo, Paris, 165 p.
- Sylvestre, J.-P., 2009. *Le Grand Dauphin et ses Cousins*. Coll. Les sentiers du naturaliste, Delachaux & Niestlé, Paris, 190 p.
- Sylvestre, J.-P., 2010a. *Les baleines et autres rorquals*, Collection Les sentiers du naturaliste, Delachaux & Niestlé, Paris, 192 p.
- Sylvestre, J.-P., 2010b. Révision des noms des cétacés en usage au Québec et de termes employés dans leur étude. *Le Naturaliste Canadien*, 134(2), 72-82.
- Sylvestre, J.-P., Tasaka, S., 1985. On the intergeneric hybrids in cetaceans. *Aqu. Mamm.*, 11(3), 101-108.
- Taylor, B.L., Baird, R., Barlow, J., Dawson, S.M., Ford, J., Mead, J.G., Notarbartolo di Sciara, G., Wade, P., Pitman, R.L., 2008a. *Kogia breviceps*. In : *IUCN 2011. IUCN Red List of Threatened Species*. Version 2011.2 <www.iucnredlist.org> (consulté le 04 janvier 2012).
- Taylor, B.L., Baird, R., Barlow, J., Dawson, S.M., Ford, J., Mead, J.G., Notarbartolo di Sciara, G., Wade, P., Pitman, R.L., 2008b. *Kogia sima*. In : *IUCN 2011. IUCN Red List of Threatened Species*. Version 2011.2 <www.iucnredlist.org> (consulté le 04 janvier 2012).

- Taylor, B.L., Baird, R., Barlow, J., Dawson, S.M., Ford, J., Mead, J.G., Notarbartolo di Sciara, G., Wade, P., Pitman, R.L., 2008c. *Hyperoodon ampullatus*. In : IUCN 2011. IUCN Red List of Threatened Species. Version 2011.2 <www.iucnredlist.org> (consulté le 15 mai 2012).
- Taylor, B.L., Baird, R., Barlow, J., Dawson, S.M., Ford, J., Mead, J.G., Notarbartolo di Sciara, G., Wade, P., Pitman, R.L., 2008d. *Hyperoodon planifrons*. In : IUCN 2011. IUCN Red List of Threatened Species. Version 2011.2 <www.iucnredlist.org> (consulté le 15 mai 2012).
- Taylor, B.L., Baird, R., Barlow, J., Dawson, S.M., Ford, J., Mead, J.G., Notarbartolo di Sciara, G., Wade, P., Pitman, R.L., 2008e. *Ziphius cavirostris*. In : IUCN 2011. IUCN Red List of Threatened Species. Version 2011.2 <www.iucnredlist.org> (consulté le 10 mai 2012).
- Taylor, B.L., Baird, R., Barlow, J., Dawson, S.M., Ford, J., Mead, J.G., Notarbartolo di Sciara, G., Wade, P., Pitman, R.L., 2008f. *Berardius bairdii*. In : IUCN 2011. IUCN Red List of Threatened Species. Version 2011.2 <www.iucnredlist.org> (consulté le 15 mai 2012).
- Taylor, B.L., Baird, R., Barlow, J., Dawson, S.M., Ford, J., Mead, J.G., Notarbartolo di Sciara, G., Wade, P., Pitman, R.L., 2008g. *Berardius arnuxiii*. In : IUCN 2011. IUCN Red List of Threatened Species. Version 2011.2 <www.iucnredlist.org> (consulté le 13 mai 2012).
- Taylor, B.L., Baird, R., Barlow, J., Dawson, S.M., Ford, J., Mead, J.G., Notarbartolo di Sciara, G., Wade, P., Pitman, R.L., 2008h. *Mesoplodon bidens*. In : IUCN 2011. IUCN Red List of Threatened Species. Version 2011.2 <www.iucnredlist.org> (consulté le 9 mai 2012).
- Taylor, B.L., Baird, R., Barlow, J., Dawson, S.M., Ford, J., Mead, J.G., Notarbartolo di Sciara, G., Wade, P., Pitman, R.L., 2008i. *Mesoplodon densirostris*. In : IUCN 2011. IUCN Red List of Threatened Species. Version 2011.2 <www.iucnredlist.org> (consulté le 9 mai 2012).
- Taylor, B.L., Baird, R., Barlow, J., Dawson, S.M., Ford, J., Mead, J.G., Notarbartolo di Sciara, G., Wade, P., Pitman, R.L., 2008j. *Mesoplodon mirus*. In : IUCN 2011. IUCN Red List of Threatened Species. Version 2011.2 <www.iucnredlist.org> (consulté le 12 mai 2012).
- Taylor, B.L., Baird, R., Barlow, J., Dawson, S.M., Ford, J., Mead, J.G., Notarbartolo di Sciara, G., Wade, P., Pitman, R.L., 2008k. *Mesoplodon stejnegeri*. In : IUCN 2011. IUCN Red List of Threatened Species. Version 2011.2 <www.iucnredlist.org> (consulté le 10 mai 2012).
- Taylor, B.L., Baird, R., Barlow, J., Dawson, S.M., Ford, J., Mead, J.G., Notarbartolo di Sciara, G., Wade, P., Pitman, R.L., 2008l. *Mesoplodon carlhubbsi*. In : IUCN 2011. IUCN Red List of Threatened Species. Version 2011.2 <www.iucnredlist.org> (consulté le 10 mai 2012).
- Tershy, B.R., 1992. Body size, diet, habit use, and social behavior of *Balaenoptera* whales in the Gulf of California. *J. Mamm.*, 73(3), 477-486.
- Thewissen, J.G.M., (ed.), 1998. *The Emergency of Whales : Evolutionary Patterns in the Origine of Cetacea*, Advances in Vertebrate Paleobiology, Plenum Press, New York and London, 477 p.
- Thompson, K., Baker, C., van Helden, A., Patel, S., Millar, C., Constantine, R., 2012. The world's rarest whale. *Current Biology*, 22 (21), R905-906.
- Tidemann, C.R., 1986. *Mesoplodon bowdoini* Andrews (Ziphiidae): A new whale record from New South Wales. *The Victorian Naturalist*, 97, 64-65.
- Toba Aquarium, 1977. *Report on the rearing and behavior of finless porpoise (Neophocaena phocaenoides) in Toba Aquarium*. Toba Aquarium, Japon, 18 p.
- Trujillo, F., Crespo, E., Damme, P.V., Usma, J.S., eds., 2010. *The action plan for south american river dolphins*. WWF, Fundaciòn Omacha, WDS, Solamac, Bogota, Colombia, 249 p.
- Tsutsui, S., Tanaka, M., Miyazaki, N., Furuya, T., 2001. Pacific white-sided dolphins (*Lagenorhynchus obliquidens*) with anomalous colour patterns in Volcano Bay, Hokkaido, Japan. *Aqu. Mamm.*, 27(2), 172-182.

- Turner, M.N., 1879. The form and structure of the teeth of *Mesoplodon layardii* and *Mesoplodon sowerbyii*. *J. Anat. Physiol.*, 13, 465-480.
- Turvey, S., 2008. *Witness to extinction : How we failed to save the Yangtze river dolphin*. Oxford University Press, 233 p.
- Ulmer Jr., F.A., 1941. *Mesoplodon mirus* in New Jersey, with additional notes on the New Jersey *M. densirostris*, and a list and key to the ziphoid whales of the Atlantic coast of North America. *Proc. Acad. Nat. Sci. Philadelphia*, 93, 107-122.
- Van Deirse, A.B., Junge, G.C.A., 1937 – Recent and older finds of the California gray whale in the Atlantic. *Temminckia*, 2, 161-188.
- Van Helden, A.L., Baker, A.N., Dalebout, M.L., Reyes, J.C., Van Waerebeek, K.V., Baker, C.S., 2002. Resurrection of *Mesoplodon traversii* (Gray, 1874), senior synonym of *M. bahamondi* Reyes, Van Waerebeek, Cárdenas and Yànez (Cetacea : Ziphiidae). *Mar. Mamm. Sci.*, 18(3), 609-621.
- Van Waerebeek, K., 1992. Records of dusky dolphins, *Lagenorhynchus obscurus* (Gray, 1828) in the eastern south Pacific. *Beaufortia*, 43(4), 45-61.
- Van Waerebeek, K., Barnett, L., Camara, A., Cham, A., Diallo, M., Djiba, A., Jallow, A., Ndiaye, E., Ould-bilal, A.O.S., Bamy, I.L., 2004. Distribution, status, and biology of the Atlantic humpback dolphin, *Sousa teuszii* (Kukenthal, 1892). *Aqu. Mamm.*, 30, 56-83.
- Vidal, O., Brownell, Jr., R. L., Findley, L.T., 1999. Vaquita *Phocoena sinus* Norris and McFarland, 1958.). *In : Handbook of Marine Mammals* (S.H. Ridgway, R.J. Harrison, eds.), Academic Press, New York, 6, 357-378.
- Vidal, O., Pechter, G., 1972, Behavioral observations on fin whale, *Balaenoptera physalus*, in the présence of killer whale, *Orcinus orca*. *Fish. Bull.*, 370-373.
- Von Haast, J., 1876. On a new ziphioid whale. *Proc. Zool. Soc. London*, 7-13.
- Wada, S., 1984. A note on the gene frequency differences between minke whales from Korean and Japanese coastal waters. *Rep. International Whaling Commission*, 34, 345-347.
- Wada, S., Oishi, M., Yamada, T.K., 2003. A newly discovered species of living baleen whale. *Nature*, 426,278-281.
- Walker, W.A., Hanson, M.B., 1999. Biological observations on Stejneger's beaked whale, *Mesoplodon stejnegeri*, from strandings on Adak island, Alaska. *Mar. Mamm. Sci.*, 15(4), 1314-1329.
- Walker, W.A., Leatherwood, S., Goodrich, K.R., Perrin, W.F., Stroud, R.K., 1986. Geographical variation and biology of the Pacific white-sided dolphin *Lagenorhynchus obliquidens*, in the northeastern Pacific. *In : Research on Dolphins* (M.M. Bryden, R. Harrison, eds), Clarendon Press, Oxford, 441-465.
- Wang, J.Y., Yang, S.C., Wang, B.J., Wang, L.S., 2010. Distinguishing between two species of finless porpoises (*Neophocaena phocaenoides* and *N. asiaorientalis*) in area of sympatry. *Mammalia*, 74(3), 305-310.
- Watkins, W.A., 1976. A probable sighting of a live *Tasmacetus shepherdi* in New Zealand waters. *J. Mamm.*, 57(2), 415.
- Watkins, W.A., Schevill, W.E., 1979. Aerial observation of feeding behavior in four baleen whales: *Eubalaena glacialis*, *Balaenoptera borealis*, *Megaptera novaeangliae*, and *Balaenoptera physalus*. *J. Mamm.*, 60(1), 155-163.
- Whitehead, H., 2003. *Sperm whales: Social Evolution in the Ocean*, The University of Chicago Press, Chicago, 431 p.

- Williamson, G.R., 1972. The true body shape of rorqual whales. *J. Zool., London*, 167, 277-286.
- Williamson, G.R., 1973. Counting and measuring baleen and ventral grooves of whales. *Sci. Rep. Whales Res. Inst., Tokyo*, 25, 279-292.
- Willis, P.M., Baird, R.W., 1998. Status of the dwarf sperm whale, *Kogia simus*, with special reference to Canada. *Can. Field-Naturalist*, 112(1), 114-125.
- Winn, H.E., Perkins, P.J., Winn, L., 1970. Sounds and behavior of the northern bottle-nosed whale. *Conf. Biol. Sonar Diving Mamm.*, 7, 53-59.
- Winn, H.E., Reichley, N.E., 1985. Humpback whale *Megaptera novaeangliae* (Borowski, 1781). In: *Handbook of Marine Mammals* (S.H. Ridgway, R.J. Harrison, eds.), Academic Press, New York, 3, 241-273.
- Winn, L.K., Winn, H.E., 1985. *Wings in the sea: The humpback whale*. University Press of New England, Hanover and London, 151 p.
- Wolman, A.A., 1985. Gray whale *Eschrichtius robustus* (Lilljeborg, 1861). In: *Handbook of Marine Mammals* (S.H. Ridgway, R.J. Harrison, eds.), Academic Press, New York, 3, 67-90.
- Würsig, M., Würsig, B., Mermoz, J.F., 1977. Desplazamientos, comportamiento general y un varamiento de la marsopa espinosa, *Phocoena spinipinnis*, en el golfo San Jose (Chubut, Argentina). *Physis*, Secc. A. Buenos Aires, 36(92), 71-79.
- Yamada, M., 1954a. Some remarks on the pygmy sperm whale, *Kogia*. *Sci. Rep. Whales Res. Inst., Tokyo*, 9, 37-58.
- Yamada, M., 1954b. An account of a rare porpoise, *Feresa* Gray, from Japan. *Sci. Rep. Whales Res. Inst., Tokyo*, 9, 59-88.
- Yatabe, A., Kubo, N., Otsuka, M., Shina, S., Kubodera, T., Yamada, T., 2010. Stomach contents and structure of a Longman's beaked whale (*Indopacetus pacificus*) stranded in Kyushu, Japan. *Aqu. Mamm.*, 36(2), 172-177.
- Yazdi, P., 2002. A possible hybrid between the dusky dolphin (*Lagenorhynchus obscurus*) and the southern right whale (*Lissodelphis peronii*). *Aqu. Mamm.*, 28(2), 211-217.
- Yochem, P.K., Leatherwood, S., 1985. Blue whale *Balaenoptera musculus*. In: *Handbook of Marine Mammals* (S.H. Ridgway, R.J. Harrison, eds.), Academic Press, New York, 3, 193-240.
- Zao, X., Barlow, J., Taylor, B.L., Pitman, R.L., Wang, K., Wei, Z., Stewart, B.S., Turvey, S.T., Akamatsu, T., Reeves, R.R., Wang, D., 2008. Abundance and conservation status of the Yangtze finless porpoise in the Yangtze River, China. *Biological Conservation*, 141, 3006-3018.
- Zerbini, A., Secchi, E.R., 2001. Occurrence of Hector's beaked whale, *Mesoplodon hectori*, in southern Brazil. *Aq. Mamm.*, 27(2), 149-153.